

INDEX

A

- Abciximab, 662
 in coronary artery disease, 593
- Abdominal aortic aneurysm, 569–573
- Abdominal pain, in peripheral arterial disease, 562
- Abscess, dental, 497–498
- Abuse, elder, 843–847
- Acarbose, 423
- Acebutolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
 in high blood pressure, 548
- Acetaminophen
 alcohol interactions with, 388
 for pain, 290
 side effects of, 291
- Acetylcholine, 48
 in Alzheimer’s disease, 320
 in delirium, 302
 in dementia, 307
- Acetyl-L carnitine, 60
- Achalasia, 737, 741
- Ache (*see* Pain)
- Achilles bursitis, 515
- Achilles tendinitis, 515
- Acidosis, 757
- Acid reflux, 736, 738, 743–747
- Acne rosacea, 434, 436–437
- Acrochordon, 435
- Actinic keratosis, 713
- Action tremor, 357–360
- Activated protein C resistance, 659
- Activities of daily living, 22
 assistive devices for, 154, 155
 in dementia, 314–315
 therapy for, 145–146, 166
- Acupuncture, 74–75, 289
 in rehabilitation, 148
- Adalimumab, 527
- Adenosine, 623
- Adipose tissue (*see* Fat, body)
- Adjuvant therapy, in cancer, 677
- Adsorbents, in diarrhea, 758
- Adult day care, 182–183
- Adult Protective Services, 847
- Advance directive, 192–193, 851–853
 in cancer, 680
 in COPD, 734
 in heart failure, 617
 in Parkinson’s disease, 367
 in progressive supranuclear palsy, 369
- Advanced sleep phase syndrome, 385
- Aerobic exercise, 148–149, 809
 in arthritis, 812
 in coronary artery disease, 813
 after stroke, 817
- Age-related macular degeneration, 458–460
 driving and, 828
- Age spots, 435
- Aging, 1–25
 of arteries, 15
 of bladder, 16, 769

- Aging (*continued*)
- body water changes with, 214
 - of bones, 12–13
 - of brain, 14
 - of breasts, 17
 - of cartilage, 13
 - of cells, 4–5
 - demographics of, 18–20, 25
 - of digestive system, 15–16, 201
 - driving skill changes with, 827
 - of ears, 10–11
 - of endocrine system, 17
 - of eyes, 7, 9–10
 - of female genitals, 780
 - function decline with, 5–6
 - healthy, 4, 6
 - of heart, 14, 15
 - of immune system, 18
 - information resources on, 881–882
 - intimacy and, 832
 - of joints, 12–13
 - of kidneys, 16
 - of liver, 16
 - of lungs, 15
 - of mouth, 11
 - of muscles, 13–14
 - of nervous system, 14
 - of nose, 11
 - nutritional changes with, 35–39
 - of organs, 5, 7–18
 - of ovaries, 16–17
 - of reproductive organs, 16–17
 - self-image changes with, 835
 - sexual changes with, 780–781, 788–789, 791, 804
 - of skin, 11–12, 430–431
 - sleep pattern changes with, 372
 - social changes with, 819–826
 - temperature control and, 223–224, 227–228
 - of testes, 17
 - of urethra, 769
 - of urinary tract, 16
 - of voice, 486
 - worldwide, 25
- AIDS (*see* HIV infection)
- Air-conditioning, 229
- Air-fluidized bed, 447
- Airways
- defense mechanisms of, 718
 - obstruction of, 725–734
 - after surgery, 143
- Akathisia, 356–357
- Albumin, in undernutrition, 204
- Albuterol, 730
- Alcohol
- drug interactions with, 388
 - medicinal herb interactions with, 58
- Alcohol use and abuse, 30, 388
- acid reflux and, 744
 - arrhythmias with, 619
 - in cardiomyopathy, 606
 - delirium with, 300
 - dementia with, 309
 - erectile dysfunction with, 801
 - gout and, 531
 - in heart failure, 610
 - high blood pressure and, 547
 - hypothermia and, 225
 - information resources on, 882
 - mouth cancer and, 701
 - osteoporosis and, 257
 - platelet count and, 656
 - tremor and, 559
 - undernutrition and, 203, 206
 - urinary incontinence with, 771
- Aldosterone, aging-related changes in, 17
- Aldosterone antagonists, 612, 615
- Alendronate, 263
- Alfuzosin, 794
- Allergist, 86
- Allergy and allergic reactions
- to chamomile, 61
 - to chondroitin, 61
 - to echinacea, 63
 - to glucosamine, 67
 - to influenza vaccine, 724
 - rhinitis, 487–488
 - sinusitis, 489, 491
- Allergy shots, 487–488
- Allicin, 64
- Allopurinol
- in gout, 533, 534
 - in multiple myeloma, 706

- Alpha agonists, urinary incontinence with, 771
- Alpha-beta-blockers, 548, 550
- Alpha-blockers
 - in benign prostatic hyperplasia, 794
 - fainting with, 241
 - in high blood pressure, 548, 550
 - in prostatitis, 796
 - urinary incontinence with, 771
- 5-Alpha reductase blockers, 794
- Alprostadil, 802
- Alteplase
 - in coronary artery disease, 595
 - in stroke, 336
- Alternative medicine, 52–76
 - in cancer, 678
 - safety of, 54–55
- Alzheimer's disease, 319–322
 - acetyl-L carnitine in, 60
 - amyloid angiopathy in, 329
 - driving and, 827
 - ginkgo biloba in, 66
 - information resources on, 882
 - intimacy and, 837–838
- Amantadine
 - in influenza, 724, 725
 - in Parkinson's disease, 365, 366
- Amaurosis fugax, 462
- American Board of Specialties, 79
- American Medical Association, 79
- Amiloride, 217
- Amiodarone
 - in abnormal heart rhythms, 622–623
 - in atrial flutter and fibrillation, 630
 - hyperthyroidism with, 410
 - hypothyroidism with, 408, 409
 - in ventricular tachycardia, 631–632
- Amitriptyline
 - in depression, 45, 394
 - urinary incontinence with, 771
- Amlodipine
 - in coronary artery disease, 594
 - in high blood pressure, 549
- Amputation
 - information resources on, 882
 - leg, 159–161, 564
- Amyloid angiopathy, 329
- Amyloidosis, 347
 - in multiple myeloma, 704
- Amyloid plaques, 319
- Amyotrophic lateral sclerosis, swallow-
ing difficulty in, 737
- Anabolic steroids, medicinal herb inter-
actions with, 56
- Anagrelide
 - in polycythemia, 668
 - in thrombocytopenia, 665
- Anakinra, 527
- Analgesics, 290–294
 - in cancer, 678–679
 - opioid (*see* Opioids)
 - in postsurgical pain, 142
 - in prostatitis, 796
 - during rehabilitation, 148
 - in terminal illness, 186
- Anastrozole, 688
- Androgens (*see also* Testosterone)
 - in myelofibrosis, 669–670
- Anemia, 649–655
 - aplastic, 650, 651
 - in bleeding, 650, 652–653, 654
 - causes of, 650–652
 - of chronic disease, 650, 655
 - in chronic lymphocytic leukemia, 691
 - dizziness with, 235
 - fainting with, 241, 245
 - in folic acid deficiency, 650, 654–655
 - hemolytic, 651
 - iron deficiency, 650, 654
 - in multiple myeloma, 703, 705
 - in myelofibrosis, 668
 - pernicious, 650
 - in rheumatoid arthritis, 525
 - in vitamin B₁₂ deficiency, 650, 652,
654–655
- Anesthesia, 140–141
- Anesthesiologist, 86
- Anesthetics, 294
- Aneurysm, 568–573
 - brain, 329
 - rupture of, 569–571, 572, 573
 - surgical risk and, 137–138
 - in temporal arteritis, 539–540, 541,
542

- Angina, 557, 582, 585–586
 emergency treatment of, 599–600
- Angiography
 in aortic aneurysm, 571
 in aortic dissection, 568
 cardiac, 101, 114–115
 in clotting disorders, 661
 in coronary artery disease, 588–589
 fluorescein, 459, 461, 463
 peripheral artery, 562
 pulmonary artery, 578
 in stroke, 333
- Angioma, 435
- Angioplasty
 carotid, 335
 coronary, 596–598
 exercise after, 813
 in heart attack, 600
 in peripheral arterial disease, 564
- Angiotensin-converting enzyme (ACE)
 inhibitors
 in aortic regurgitation, 645
 in coronary artery disease, 592, 596
 in diabetes, 427
 fainting with, 241
 after heart attack, 601
 in heart failure, 611, 614
 in heart valve disorders, 639
 in high blood pressure, 548, 550
 high potassium levels with, 221
 urinary incontinence with, 771
- Angiotensin II receptor blockers
 in coronary artery disease, 592
 in diabetes, 427
 in heart failure, 614
 in high blood pressure, 548, 550
- Anistreplase, 595
- Ankle brace, 150, 158
- Anoscopy, 759–760
- Antacids
 constipation with, 750
 diarrhea with, 757
 in gastroesophageal reflux, 747
 side effects of, 52
- Antianxiety drugs, 399–400
 medicinal herb interactions with, 58
 in shortness of breath, 187
- Antiarrhythmic drugs, 621–624
 in atrial flutter and fibrillation, 629–630
 intravenous, 626
 in ventricular tachycardia, 631–632
- Antibiotics
 in atrophic rhinitis, 488
 in COPD, 732
 dizziness with, 232
 esophageal damage with, 738
 in pneumonia, 721
 in prostatitis, 796
 in rosacea, 436–437
 in sinusitis, 490
 in urinary tract infection, 765–766
 in venous ulcers, 449
- Antibodies
 in antiphospholipid syndrome, 659
 in idiopathic thrombocytopenic purpura, 656, 657
 in multiple myeloma, 704
 in rheumatoid arthritis, 528
- Anticardiolipin antibodies, 659
- Anticholinergic effects, 48–49, 52, 141
- Anticoagulants, 662
 in atrial flutter and fibrillation, 630
 in clotting factor disorders, 661–662
 in coronary artery disease, 592
 in deep vein thrombosis, 580
 discontinuation of
 before colonoscopy, 116
 before electromyography, 120
 before esophagogastroduodenoscopy, 118
 before prostatic biopsy, 121
 before skin biopsy, 122
 after heart attack, 601
 in heart failure, 613, 615
 in heart valve disorders, 640–641
 medicinal herb interactions with,
 54–55, 56, 57, 58, 59
 platelet count and, 656
 in retinal embolism, 464
 in stroke prevention, 324, 335
- Anticonvulsants
 in dementia, 317
 medicinal herb interactions with, 55,
 57

- Anticonvulsants (*continued*)
 - in pain management, 294
 - in shingles, 441–442
 - in tremor, 359
 - in trigeminal neuralgia, 342
 - vitamin D deficiency and, 221
- Anticytokines, 527, 528
- Antidepressants, 392–395
 - in anxiety, 399–400
 - constipation with, 750
 - delirium with, 301
 - dizziness with, 234
 - end-of-life care and, 191
 - fainting with, 241
 - in insomnia, 378
 - medicinal herb interactions with, 57, 58, 59
 - movement disorder with, 356–357
 - in pain management, 294
 - in shingles, 442
 - undernutrition and, 202, 203
 - urinary incontinence with, 771
 - weight gain with, 211
- Antidiabetic drugs, 421, 422–423
 - medicinal herb interactions with, 56, 57
- Antidiuretic hormone, excess of
 - low sodium level and, 219
 - overhydration with, 216, 218
- Antiemetics, delirium with, 301
- Antifungals, 518
- Antihistamines, 45
 - in allergic rhinitis, 487
 - constipation with, 750
 - delirium with, 301
 - dizziness with, 234, 237
 - in insomnia, 378
 - medicinal herb interactions with, 58
 - platelet function and, 656
 - in polycythemia, 668
 - side effects of, 52
 - urinary incontinence with, 771
 - in vasomotor rhinitis, 488
- Antihyperglycemic drugs, 421, 422–423
 - medicinal herb interactions with, 56, 57
- Antihypertensive drugs, 547–550
 - constipation with, 750
 - delirium with, 301
 - dizziness with, 235
 - in heart valve disorders, 639–640
 - medicinal herb interactions with, 58
- Anti-interleukin-1 receptor antagonists, 527
- Antioxidants, 2
- Antiphospholipid syndrome, 659
- Antiplatelet drugs, 662
 - in clotting disorders, 662–663
 - in coronary artery disease, 591, 592–593, 595
 - after heart attack, 601
 - medicinal herb interactions with, 56, 57, 58
 - in peripheral arterial disease, 563–564
 - in stroke prevention, 335
- Antipsychotic drugs, 45, 403–405
 - in delirium, 306
 - delirium with, 301
 - in dementia, 317
 - in depression, 393
 - dizziness with, 234
 - medicinal herb interactions with, 57, 58
 - movement disorder with, 356–357
 - swallowing difficulty with, 737
 - undernutrition and, 203
 - urinary incontinence with, 771
- Antispasmodic drugs, 45, 301
- Antithrombin III deficiency, 659
- Antiviral drugs
 - in influenza, 724, 725
 - in Parkinson's disease, 365, 366
 - in shingles, 441
- Anus
 - in constipation, 751
 - in fecal incontinence, 760
 - inflammation of, 190
 - sphincter of, 760
- Anxiety, 396–400
 - in dementia, 311, 392
 - drug treatment of (*see* Antianxiety drugs)
 - at end of life, 190–191

- Anxiety (*continued*)
 function and, 6
 after heart attack, 587
 after loved one's death, 196
 over sexual performance, 791
 sleep disturbance with, 375
 undernutrition and, 202, 206
- Aorta, 551, 552
 aneurysm of, 568–573
 rupture of, 569–571, 572
 surgical risk and, 137–138
 in temporal arteritis, 539–540, 541, 542
 dissection of, 566–568
- Aortic valve, 583, 636
 bicuspid, 643
 narrowing (stenosis) of, 642–644
 heart failure and, 608
 sexual activity and, 803
 regurgitation of, 644–645
 thickening (sclerosis) of, 643
- Aphasia
 rehabilitation for, 162
 in stroke, 330
- Aphthous stomatitis, 507
- Aplastic anemia, 650, 651
- Apnea, sleep, 382–384
- Apolipoprotein E (apo E), 320
- Apoptosis, 5
- Appetite
 drug stimulation of, 206
 loss of
 age-related, 201
 at end of life, 188–189
- Apraxia, 162–163
- Arch pain, 514–516
- Arcus senilis, 10
- Argatroban, 662
- Aripiprazole, 404–405
- Arm fracture, 282
- Aromatase inhibitors, 688
- Arrhythmias, 617–636
 atrial fibrillation, 628–631, 660
 atrial flutter, 628–631
 dizziness with, 234
 drug-related, 618
 emergency treatment of, 626
- Arrhythmias (*continued*)
 fainting with, 239, 242
 after heart attack, 586
 heart block, 635–636
 in heart valve disorders, 638
 with high potassium levels, 221
 in hyperthyroidism, 411
 with hypothermia, 225–226
 in lung cancer, 698
 outlook for, 626–627
 premature beats, 627
 sexual activity and, 803
 sick sinus syndrome, 633–634
 sinus bradycardia, 633–634
 surgical risk and, 137
 treatment of, 621–626
 ventricular fibrillation, 626, 632–633
 ventricular tachycardia, 631–632
- Arteries, 551–553
 aging of, 15
 aneurysm of, 568–573
 collateral, 565
 dilation of, 551, 553
 hardening of, 553–566 (*see also*
 Atherosclerosis)
 in high blood pressure, 542–543
 in temporal (giant cell) arteritis,
 537–542
- Arteriography (*see* Angiography)
- Arteriovenous malformation, 329
- Arteritis, temporal, 464, 465, 537–542
 blood clots with, 659
- Arthritis, 518–539
 chondroitin in, 61
 degenerative (osteoarthritis), 519–524
 dizziness with, 233
 driving and, 828
 exercise in, 811–813
 glucosamine in, 67
 in gout, 531
 with hip fracture, 277
 infectious (septic), 536–537
 with pressure sores, 445
 information resources on, 882
 in obesity, 212
 rheumatoid, 524–534
 undernutrition and, 202

- Arthroplasty (joint replacement)
 hip, 278–280
 in osteoarthritis, 523
 rehabilitation after, 158–159
 in rheumatoid arthritis, 529
 knee, 524
 in osteoarthritis, 523
 rehabilitation after, 159
 in rheumatoid arthritis, 529
- Arthroscopy, 100
- Artificial leg, 160–161
- Ascorbic acid (*see* Vitamin C [ascorbic acid])
- Aspiration
 after esophagogastroduodenoscopy, 118
 in gastroesophageal reflux, 745
 with swallowing disorders, 739
- Aspiration (needle)
 in gout, 531
 in infectious arthritis, 537
 in pseudogout, 535–536
- Aspiration pneumonia, 720
 after stroke, 332
 with swallowing disorders, 739
 with tube feeding, 206
- Aspirin
 alcohol interactions with, 388
 in clotting disorders, 662–663
 in coronary artery disease, 591, 592–593, 595
 discontinuation of
 before colonoscopy, 116
 before electromyography, 120
 before esophagogastroduodenoscopy, 117–118
 before prostatic biopsy, 121
 before skin biopsy, 122
 dizziness with, 232
 for emergency angina treatment, 599
 esophageal damage with, 738
 gout drug interaction with, 534
 after heart attack, 601
 medicinal herb interactions with, 56, 57, 58
 for pain, 290–291
 in peripheral arterial disease, 563–564
- Aspirin (*continued*)
 platelet function and, 656
 in polycythemia, 668
 in rheumatoid arthritis, 526
 side effects of, 52
 in stroke prevention, 335
 in thrombocytopenia, 664
- Assisted living community, 167, 168–169
 in dementia, 315–316
 overnight care in, 183
- Assisted suicide, 193–194
- Assistive devices, 150–152, 154, 155, 180–181
 in osteoarthritis, 523
 in rheumatoid arthritis, 529
 for walking, 150–152, 159
- Asteatotic eczema, 433
- Asterixis (flapping tremor), 353
- Asthma, ginkgo biloba in, 65
- Asymptomatic bacteriuria, 764
- Atelectasis, in lung cancer, 697
- Atenolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
 in high blood pressure, 548
- Atheroma (*see* Plaque, atherosclerotic)
- Atherosclerosis, 553–566, 659
 in Alzheimer's disease, 320
 aneurysm and, 568, 569
 of coronary arteries, 582–602 (*see also* Coronary artery disease)
 in diabetes, 417, 427
 dizziness and, 233
 erectile dysfunction and, 800
 garlic and, 64
 information resources on, 884
 risk factors for, 555–556
 stroke and, 326, 328–329
 treatment of, 557–560
- Atorvastatin, 559
 in coronary artery disease, 590, 594–595
- Atrial fibrillation, 618, 628–631
 blood clots with, 660
 heart failure and, 607
 in heart valve disorders, 638, 640

Atrial fibrillation (*continued*)
 in mitral stenosis, 646
 stroke in, 619
Atrial flutter, 618, 628–631
Atrium (atria), 583, 604
Atrophic rhinitis, 488
Atrophic vaginitis, 17, 781–782
Atrophy
 muscle, electrical stimulation for,
 152–153
 nasal, 488
 urethral, 770, 775, 781
 vaginal, 781–782
 vocal cord, 491–492
Atropine, 626
Attitude, toward aging, 6
Audiologist, 89
Audiometry, 475
Autoimmune disorders, 18
 aplastic anemia and, 651
 hemolytic anemia and, 651
 in rheumatoid arthritis, 525
Automated external defibrillator, 626
Automobiles
 accidents in, 826–827
 driving skills for, 828–830
Autonomy, 848
Autumn-winter depression, 387
Azathioprine, 526
Azelastine, 488

B

Back pain, chiropractic for, 73
Baclofen, 356
Bacteria (*see* Infection)
Bacterial overgrowth, diarrhea with,
 756–757
Bacteriuria, asymptomatic, 764
Balance
 aging and, 234–235
 exercises for, 150, 810
 problems with, 6, 231
 falls and, 248
 in neuropathy, 347
 in Parkinson's disease, 362
 testing for, 236–237
 testing safety and, 103

Balloon catheterization
 in percutaneous transluminal angio-
 plasty, 564
 in percutaneous transluminal coro-
 nary angioplasty, 596–597
Balloon dilation, of esophagus, 741
Barbiturates, 45
 medicinal herb interactions with, 56,
 59
Barium x-ray study
 in anemia, 654
 in constipation, 752
 in gastroesophageal reflux, 745–746
 in swallowing difficulty, 740
Barrett's esophagus, 745
Bartholin's glands, 779
 cancer of, 714
Basal cell cancer, 712–714
Basal ganglia, 352
 in Parkinson's disease, 360
 in progressive supranuclear palsy,
 367
Bed
 adjustment of, in gastroesophageal re-
 flux, 746
 air-fluidized, 447
 transfer from, 150
Bed rest
 blood clots and, 658
 constipation and, 750
 after fracture, 274
 muscle strength loss with, 13
 problems from, 128–130, 269
 in rheumatoid arthritis, 528
 urinary incontinence and, 129, 772
Bedsore (*see* Pressure sores)
Behavior
 in Alzheimer's disease, 321
 in dementia, 310–311, 317
 REM sleep disorder of, 384
Belladonna alkaloids, 45
Benazepril
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
 urinary incontinence with, 771
Bence Jones proteins, 704

- Benign positional vertigo, 232, 235, 237, 238
- Benign prostatic hyperplasia, 792–795
 saw palmetto effects on, 71
 sleep disturbance with, 375
 urinary incontinence and, 772
 urinary tract infection with, 763
- Benign senescent forgetfulness, 308
- Benzodiazepines, 45
 alcohol interactions with, 388
 in anxiety, 400
 in delirium, 306
 delirium with, 301
 in dementia, 318
 dizziness with, 234
 in dystonia, 356
 in insomnia, 377
 medicinal herb interactions with, 58, 59
- Benzotropine, 365, 366
- Berberine, 67–68
- Bereavement, 196–197, 821–822
 information resources on, 884–885
 sleep disturbance and, 375
- Beta-blockers
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594, 595
 dizziness with, 234
 fainting with, 241
 in glaucoma, 457
 after heart attack, 601
 in heart failure, 612, 614
 in heart valve disorders, 639–640
 in high blood pressure, 548–549, 550
 in hyperthyroidism, 412
 in tremor, 359
- Beta-carotene, 2
- Betaxolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
- Bethanechol, 747
- Bicalutamide, 712
- Bicycling, 148–149
- Bifocals, 7
- Big toe
 bunion and, 511–513
 gout in, 531
- Biguanides, 421, 422
- Bile acid binders, 559
- Bi-level positive airway pressure (Bi-PAP), 383
- Binswanger's disease, 323
- Bioelectric impedance analysis, 41
- Bioelectromagnetic therapy, 75
- Biofeedback
 in fecal incontinence, 760
 in pain management, 290
 in tinnitus, 482
- Biological age, 3
- Biopsy, 100
 bone marrow, 653 (*see also* Bone marrow, biopsy of)
 breast, 684
 in cancer, 675
 endometrium, 784–785
 intestinal, 695
 lung, 698–699
 nerve, 348
 prostate, 121–122, 708
 skin, 122–123, 434, 713
 temporal artery, 540
 thyroid, 413
 uterus, 784–785
- Bi-PAP (bi-level positive airway pressure), 383
- Bipolar disease, 387, 391, 393, 395
 information resources on, 885
- Bisacodyl, 753, 754–755
- Bismuth, 758
- Bisoprolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
 in high blood pressure, 548
- Bisphosphonates
 esophageal damage with, 738
 for high calcium levels, 222
 in multiple myeloma, 705
 in osteoporosis, 263, 264
 in prostate cancer, 712

- Bladder, 768–769
aging of, 16, 769
bulge of (cystocele), 763–764, 770, 786, 787
catheterization (*see* Catheter[ization], urinary)
incontinence of (*see* Incontinence, urinary)
infection of, 762–766
neurogenic, 763, 772
overactive, 770, 792
testing of, in incontinence, 774
training of, 775
- Bleeding
anemia with, 650, 652–653, 654
aspirin and, 290–291
brain, 326–327, 337, 339
dementia with, 309
in cancer, 674
with cardiac catheterization, 589
in disseminated intravascular coagulation, 659, 660, 663
in gastroesophageal reflux, 745
in leukemia, 674
in lung cancer, 697
NSAIDs and, 290–291
after prostate biopsy, 122
in thrombocytopenia, 664
in thrombocytopenia, 655, 656
vaginal, 784–785
- Bleeding time, 656
- Blepharitis, 468
seborrhic, 438
- Blepharospasm, 355, 468
- Blindness, 450–451 (*see also* Vision, impairment of)
sleep disorders with, 375
- Blind spots
in age-related macular degeneration, 459
in diabetes, 461
in glaucoma, 456
- Blisters, in shingles, 439–440
- Blood
circulation of (*see* Circulation)
components of, 648–649
coughing up of, 728
- Blood (*continued*)
disorders of, 648–670 (*see also specific disorders, eg*, Anemia)
in gastroesophageal reflux, 745
glucose levels in, 33, 418, 425–426
hyperviscosity of, 704
oxygen content of, surgery and, 140, 143
in stool, 34, 652, 692, 694, 757
testing of
in anemia, 653–654
in benign prostatic hyperplasia, 794
in chronic lymphocytic leukemia, 690
in COPD, 729
in multiple myeloma, 704
in pneumonia, 720
in polycythemia, 667
in stroke, 333
in thrombocytopenia, 664
in thrombocytopenia, 656–657
in urinary tract infection, 765
transfusion of (*see* Blood transfusion)
in urine, 652
- Blood clots, 657–663
in abnormal heart rhythms, 619
in aneurysm, 568–569, 571
in antiphospholipid syndrome, 659
in atherosclerosis, 554, 560
in atrial flutter and fibrillation, 628, 629, 630, 660
bed rest and, 128, 269
in coronary artery disease, 583
in deep vein thrombosis, 577–580
in disseminated intravascular coagulation, 658–659, 660, 663
in heart, 329
in heart failure, 606, 660
in heart valve disorders, 639
in hereditary clotting factor disorders, 659, 661–662
location of, 661
in peripheral arterial disease, 563
pulmonary embolism and (*see* Pulmonary embolism)
retinal, 464
in stroke, 326, 328–329, 336

- Blood clots (*continued*)
 in superficial thrombophlebitis, 575–576
 in thrombocytopenia, 663–665
 umbrella filter for, 579, 580
 in varicose veins, 574
- Blood flow (*see* Circulation)
- Blood pressure
 ambulatory monitoring of, 546
 control mechanisms of, 543–544
 in dehydration, 215
 in diarrhea, 757
 in heart failure, 609
 high (*see* High blood pressure)
 home monitoring of, 546
 low (*see* Low blood pressure)
 measurement of, 32, 543, 545–547
 in peripheral arterial disease, 562
- Blood sugar
 high (*see* Diabetes mellitus)
 levels of, 33
 low (*see* Hypoglycemia)
 monitoring of, 425–426
 screening of, 33, 418
- Blood tests (*see* Blood, testing of)
- Blood thinners (*see* Anticoagulants)
- Blood transfusion
 in anemia, 654, 655
 in multiple myeloma, 705
 in myelofibrosis, 670
- Blood vessels, 551–553
 blood clots in, 661
 disorders of, 553–580 (*see also specific disorders, eg, Atherosclerosis*)
 inflammation of, in rheumatoid arthritis, 525
 small, blockage in, 664
- BMI (*see* Body mass index)
- Board-and-care facility, 93, 167, 169–170
- Body mass index, 40, 41, 204, 212
- Bone(s)
 aging of, 12–13
 broken (*see* Fracture)
 density of, 12
 evaluation of, 32–33, 104–106, 261–262
- Bone(s) (*continued*)
 fracture of (*see* Fracture)
 healing of, 275–276
 in multiple myeloma, 703, 704, 705
 in osteomalacia, 255
 in osteopenia, 254
 in osteoporosis, 254–266
 prostate cancer spread to, 707
 remodeling of, 255
 tests on, 32–33, 104–106, 261–262
- Bone marrow, 649
 aging of, 12–13
 biopsy of, 653
 in anemia, 654
 in chronic lymphocytic leukemia, 690
 in lung cancer, 699
 in multiple myeloma, 704
 in thrombocytopenia, 664
 in thrombocytopenia, 657
 cancer of (*see* Leukemia)
 fibrosis of, 651, 666, 668–670
 transplantation of (*see* Stem cells, transplantation of)
- Bone scan, 109–110
 for fracture, 270
 in lung cancer, 699
 in prostate cancer, 708
- Bone spur, in heel, 515
- Botulin toxin, in dystonia, 355–356
- Botulinum toxin, in achalasia, 741
- Bouchard's nodes, 521
- Bowel (*see* Large intestine)
- Bowel ischemia, 756
 in peripheral arterial disease, 562
- Bowel movements
 abnormal heart rhythms with, 619
 bed rest and, 129
 colostomy and, 694
 disorders of, 749–760 (*see also* Constipation; Diarrhea)
 at end of life, 189
 fainting with, 239
 incontinence of, 759–760
 in colorectal cancer, 692
 during hospitalization, 132–133
 pressure sores and, 445

BPH (*see* Benign prostatic hyperplasia)

Brace, leg or ankle, 150

after stroke, 158

Brachytherapy, 711

Bradycardia, 618

sinus, 633–634

Bradycardia-tachycardia syndrome, 634

Braille, 163

Brain

aging of, 5, 6, 14

aneurysm in, 329

arteriovenous malformation of, 329

blood flow to, 240

cancer of, dementia with, 309

degeneration of

in Alzheimer's disease, 319–320

in Parkinson's disease, 360

in progressive supranuclear palsy,
367

in Shy-Drager syndrome, 369

in dementia, 306–325 (*see also* De-
mentia)

hemorrhage in, 326–327, 329, 337, 339

inflammation of (encephalitis), 722, 723

in movement disorders, 352

radiation injury to, 308

in stroke (*see* Stroke)

Brain stem, 352

Bran, 752, 754

Breasts

aging of, 17

biopsy of, 684

cancer of, 682–689

inflammatory, 685

information resources on, 883

receptors in, 101, 685, 688

screening for, 34, 673, 683–684

staging of, 685

survival with, 689

treatment of, 685–688

types of, 684–685

cyst of, 684

examination of, 683

lump in, 683, 684

mammography of, 110–112, 683–684

reconstruction of, 687

self-examination of, 683

Breath

shortness of

in aortic regurgitation, 645

in COPD, 727, 728, 730

in coronary artery disease, 585

in disseminated intravascular coag-
ulation, 660

in heart attack, 587

in heart failure, 608

in heart valve disorders, 638

in lung cancer, 697

overhydration and, 216–217

in terminal illness, 186–187

sounds of, in heart failure, 609

Breathing

aging-related changes in, 15

bed rest effects on, 129, 130

in COPD, 728, 729, 733

near death, 184

exercises for, 720

interruption of, during sleep, 382–384
after surgery, 143

Bretylium, 622–623

Bridge, dental, 505

Bright light therapy

in circadian rhythm disorders, 385

in seasonal affective disorder, 396

Bromocriptine, 364, 366

Bronchitis

chronic, 725–734

ginkgo biloba in, 65

with influenza, 722, 723

Bronchodilators

in COPD, 730–731

in lung cancer, 700

in shortness of breath, 187

Bronchoscopy

in lung cancer, 698–699

in pneumonia, 720

Bruising, in thrombocytopenia, 656

B-type natriuretic peptide, in heart fail-
ure, 610

Bulking agents

in constipation, 753, 754

in diarrhea, 758

Bumetanide, 217

in heart failure, 612, 615

Bunion, 511–513
Bupropion, 393, 394
 for quitting smoking, 30
Burning mouth syndrome, 506
Burrow's solution, 441
Bursae, 520
Bursitis, 520
 Achilles, 515
Buspirone, 400
Bypass surgery
 in coronary artery disease, 598–599
 in peripheral arterial disease, 564

C

Cachexia, 188
 in cancer, 674
CAD (*see* Coronary artery disease)
Caffeine
 osteoporosis and, 257
 urinary incontinence and, 771
Calcification, of heart valves, 638, 643
Calcitonin
 for high calcium levels, 222
 in osteoporosis, 265, 266
Calcium
 in atherosclerosis, 553
 in bones, 12, 255
 in coronary artery disease, 582–583
 deficiency of, 208–209
 dietary, 38–39
 heart valve accumulation of, 638, 643
 high levels of (hypercalcemia), 222
 in constipation, 750
 in multiple myeloma, 703, 705–706
 in joints, 534–536
 low levels of (hypocalcemia), 221
 supplemental, for osteoporosis prevention, 262–263, 264
Calcium channel blockers
 in abnormal heart rhythms, 623
 in aortic regurgitation, 645
 constipation with, 750
 in coronary artery disease, 594, 596
 gum growth with, 500
 after heart attack, 601
 in heart valve disorders, 639

Calcium channel blockers (*continued*)
 in high blood pressure, 549, 550
 urinary incontinence with, 771
Calcium citrate, 782
Calcium polycarbophil, 753
Calcium pyrophosphate dihydrate
 crystal deposition disease, 534–537
Calculi (*see* Stones)
Calluses, 509–511
Calorie requirements, 35, 37
Cancer, 670–678, 682–715
 adjuvant therapy in, 677
 anemia with, 650
 biopsy in, 675
 blood clots with, 660
 brain, dementia with, 309
 breast, 682–689 (*see also* Breasts, cancer of)
 cervical, 34
 colorectal, 692–696 (*see also* Colorectal cancer)
 constipation in, 750
 cure of, 671, 676
 depression with, 680
 development of, 670, 672
 diagnosis of, 675
 esophagus, 739, 745
 garlic and, 64
 head, 701–703
 high calcium level in, 222
 hormone-like secretions of, 675
 hospice care for, 95, 195–196
 immune system slowdown and, 18
 information resources on, 883–884
 larynx, 492
 living with, 678–680
 lung, 696–701
 metastatic, 682
 mouth, 507, 701–703
 neck, 701–703
 parathyroid hormone excess in, 222
 prostate, 706–712 (*see also* Prostate gland, cancer of)
 questions about, 676
 refusal of treatment in, 678
 remission of, 671

- Cancer (*continued*)
 screening for (*see* Screening tests, for cancer)
 skin, 435, 712–714
 spread of, 682
 staging of, 675
 survival rate for, 671
 telomeres in, 5
 terms for, 671
 thyroid, 413, 414
 treatment guidelines for, 676–678
 ubiquinone in, 62
 undernutrition and, 202
 vulva, 714–715
 warning signs of, 673–675
- Candesartan
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
- Candidiasis, oral (thrush), 507
- Cane, 150
 after stroke, 158
- Canker sores, 507
- Capacity, 849–850
- Capillaries, 551
- Capsaicin, 294
 in osteoarthritis, 523
 in shingles, 345, 442
- Captopril
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
 urinary incontinence with, 771
- Carbidopa, 365–366
- Carbohydrates, 37
- Carbonic anhydrase inhibitors, 457
- Carbon monoxide, atherosclerosis and, 556
- Carbon monoxide detector, 31
- Carcinoembryonic antigen (CEA), 696
- Carcinogens, 672
- Carcinoma, 682 (*see also* Cancer)
- Carcinoma-in-situ, 671
- Cardiac catheterization, 101, 114–115
 in coronary artery disease, 588–589
 in heart attack, 600
- Cardiac glycosides, 615
- Cardiac rehabilitation, 156–157, 601, 813
- Cardiac scan, 109
- Cardiologist, 86
- Cardiomyopathy, 606
 dizziness with, 234
- Cardiopulmonary resuscitation (CPR)
 in advance directive, 852
 in hypothermia, 226
 in ventricular fibrillation, 633
- Cardioversion, 626
 in atrial flutter, 629
 in ventricular tachycardia, 631
- Cardioverter-defibrillator, 626
 in atrial flutter and fibrillation, 629
 implanted
 in abnormal heart rhythms, 624
 in heart failure, 613
 in ventricular tachycardia, 632
- Caregiver, 175–176
 burnout of, 166, 180, 182
 help for, 180–183
- Caregiving, 175–183
 challenges of, 177–180
 cost of, 176
 long-distance, 179
 mistreatment and, 843–847
 nutrition and, 203
 rewards of, 176
- Care manager, 96
- Caries, dental, 495–499
- Carisoprodol, 47
 medicinal herb interactions with, 58
- Carnitine, supplemental, 60
- Carotid artery, 552
 aneurysm of, 569
 angiography of, 333
 angioplasty of, 335
 blockage of, 326, 328
 removal of, 335, 464
 massage of, 626
- Carotid sinus, pressure testing of, 243
- Carotid sinus syndrome, 241, 245
- Carpal tunnel syndrome, 346
 in diabetes, 417
- Cars (*see* Automobiles; Driving)
- Carteolol
 in abnormal heart rhythms, 622

- Carteolol (*continued*)
 - in coronary artery disease, 593–594
 - in heart failure, 614
- Cartilage
 - aging of, 13
 - osteoarthritis of, 519–524
- Carvedilol
 - in abnormal heart rhythms, 622
 - in coronary artery disease, 593–594
 - in heart failure, 614
 - in high blood pressure, 548
- Cascara, 753, 754–755
- Cast, for fracture, 271–273
- Castor oil, 753
- Cataracts, 451–455
 - dizziness and, 232
 - driving and, 828
- Catechol O-methyltransferase (COMT)
 - inhibitors, 364
- Catheter(ization)
 - cardiac, 101, 114–115
 - in coronary artery disease, 588–589
 - in heart attack, 600
 - urinary, 129
 - in benign prostatic hyperplasia, 794
 - in incontinence, 773–774, 777
 - infection and, 764
 - after surgery, 143
- Catheter ablation, in abnormal heart rhythms, 624, 632
- CAT scan (*see* Computed tomography)
- Cavities (tooth decay), 495–499
- CEA (carcinoembryonic antigen), 696
- Cells
 - aging of, 4–5
 - programmed death of, 5
 - telomeres of, 5
- Cellulitis
 - with pressure sores, 445
 - with venous ulcers, 449
- Central retinal artery, blockage of, 463
- Central sleep apnea, 382–384
- Cerebellum, 352
- Cerebrospinal fluid, in subarachnoid hemorrhage, 333–334
- Cerumen, 482–483
- Cervical spondylosis, dizziness in, 233
- Cervix, cancer of, screening for, 34
- Cevimeline, 504
- Chair, transfer from, 150
- Chalazion, 469
- Chamomile, 60–61
 - drug interactions with, 56, 61
- Charcot’s joint, 348
- Chemotherapy, 676–677
 - in breast cancer, 688
 - in chronic lymphocytic leukemia, 690–691
 - in colorectal cancer, 695
 - fatigue with, 679–680
 - hair loss with, 679
 - in head cancer, 702
 - in lung cancer, 700
 - in mouth cancer, 702
 - in multiple myeloma, 704–705
 - nausea and vomiting with, 188
 - in neck cancer, 702
 - in prostate cancer, 712
 - ubiquinone with, 62
 - undernutrition and, 203
 - in vulvar cancer, 715
 - weight loss with, 679
- Cherry angioma, 435
- Chest pain
 - in acid reflux, 745
 - in angina, 557, 582, 585–586, 599–600
 - in COPD, 728
 - in heart valve disorders, 638
 - in lung cancer, 697
 - in swallowing difficulty, 739
- Chest x-ray
 - in COPD, 729
 - in heart failure, 609
 - in lung cancer, 698
 - in pneumonia, 720
- Chickenpox, 442 (*see also* Shingles [herpes zoster])
- Children, caring for, 839–840
- Chiropractic, 73–74
 - for pain, 289
 - in rehabilitation, 148
- Chlamydia infection, 836–837
- Chlordiazepoxide, 44, 45
- Chlorothiazide, 549

- Chlorpheniramine, 45
 - urinary incontinence with, 771
- Chlorpromazine, 45, 404
 - medicinal herb interactions with, 57
- Chlorpropamide, 46, 422
 - medicinal herb interactions with, 56
- Chlorthalidone, 217
 - in heart failure, 615
 - in high blood pressure, 549
- Chlorzoxazone, 47
- Cholesterol
 - in atherosclerosis, 553, 555–556
 - in coronary artery disease, 584
 - desirable level of, 555
 - diet and, 555–556
 - disease-related abnormalities in, 556
 - garlic and, 64
 - measurement of, 204
 - screening and, 32
 - stroke and, 329
- Cholesterol-lowering drugs, 558, 559
 - in coronary artery disease, 590–591
- Cholestyramine, 559
 - undernutrition and, 203
- Cholinesterase inhibitors, 316
- Chondroitin, 61
 - in osteoarthritis, 523
- Chronic disease, 22–23
 - anemia of, 650, 655
 - palliative and end-of-life care for, 183–197
- Chronic lymphocytic leukemia (CLL), 689–691
- Chronic obstructive pulmonary disease (COPD), 725–734
 - cancer treatment and, 677
 - dizziness with, 234
 - exercise in, 815
 - surgical risk and, 137
 - undernutrition and, 202
- Chronic venous insufficiency, 448–449, 577, 580, 660
- Chronologic age, 3
- Ciclopirox solution, 518
- Cigarette smoking
 - abnormal heart rhythms with, 619
 - acid reflux and, 744
 - Cigarette smoking (*continued*)
 - atherosclerosis and, 556
 - COPD and, 726–727
 - coronary artery disease and, 584
 - lung cancer and, 696–697
 - mouth cancer and, 701
 - quitting (cessation of), 30
 - in atherosclerosis, 558
 - in COPD, 729, 733
 - in coronary artery disease, 589
 - in gastroesophageal reflux, 746
 - in heart failure, 610
 - in stroke prevention, 334
 - weight gain with, 212
 - undernutrition and, 203
- Cilostazol, 564
- Cimetidine, 46
 - delirium with, 301
 - in gastroesophageal reflux, 747
 - medicinal herb interactions with, 57, 58
- Circadian rhythm disorders, 384–385
- Circulation
 - blood, 551–553
 - to brain, 240
 - collateral, 565
 - to eye, 462–465
 - garlic and, 64
 - ginkgo biloba and, 65, 66
 - in skin, 12
 - coronary, 583, 604, 610
- Cisplatin, undernutrition and, 203
- Citalopram, 393, 394
- CK-MB, in heart attack, 589
- Claudication
 - in diabetes, 416
 - in peripheral arterial disease, 557, 561, 564, 816
- Claustrophobia
 - during CT scan, 107
 - during MRI, 108
- Clavicle, fracture of, 282
- Clidinium, 45
- Clinical trial, for cancer treatment, 677–678
- Clitoris, 779
- CLL (chronic lymphocytic leukemia), 689–691

- Clopidogrel, 662, 663
 - in coronary artery disease, 592–593
 - in peripheral arterial disease, 563–564
- Clostridium difficile* infection, 756–757
- Clothing
 - for cold weather, 225
 - for hot weather, 229
- Clotting, 658
 - disorders of, 657–663 (*see also* Blood clots)
- Clotting factors, 658
 - disorders of, 659, 661–662
- Clozapine, 404–405
- Cobalamin (*see* Vitamin B₁₂ [cobalamin])
- Cochlea, 470, 471
- Cochlear implant, 479
- Codeine, 292
 - in diarrhea, 758
- Coenzyme Q, 61–62
 - drug interactions with, 62
- Coffee
 - acid reflux and, 744
 - urinary incontinence and, 771
- Cognitive impairment
 - age-related, 308
 - in dementia (*see* Dementia)
 - mild, 308
 - stroke and, 158, 330
 - temporary (*see* Delirium)
- Cognitive therapy, in pain management, 290
- Cola, urinary incontinence with, 771
- Colchicine
 - in gout, 532, 533
 - in pseudogout, 536
- Cold, common
 - echinacea effects on, 63
 - laryngitis with, 493
 - rhinitis with, 487
 - sinusitis with, 489
- Cold sores, 506–507
- Cold therapy (cryotherapy), 148, 289
 - for fracture, 271
 - in osteoarthritis, 522
 - in rheumatoid arthritis, 529
- Cold weather, protection against, 225
- Colectomy, 695
- Colesevelam, 559
- Colestipol, 559
- Collagen injection, in stress incontinence, 776
- Collarbone, fracture of, 282
- Collateral circulation, 565
- Colles' fracture, 283–284
- Colon (*see* Large intestine)
- Colonoscopy, 34, 99–100, 101, 115–117, 694, 696
 - in anemia, 654
 - in constipation, 751
 - virtual, 694–695
- Color
 - perception of, 9
 - of sclera, 9–10
- Colorectal cancer, 692–696
 - recurrence of, 696
 - screening for, 34, 115–117, 673, 692, 694–695
 - staging of, 693
- Colostomy, 694, 695
 - in fecal incontinence, 760
- Coma
 - myxedema, 408
 - nonketotic hyperosmolar (hyperglycemic), 416
 - with stroke, 331–332
- Common cold (*see* Cold, common)
- Communication
 - with health care practitioners, 78–84, 96–97, 104
 - translator for, 135
- Community involvement, 824–826
 - information resources on, 889
- Community services, 94, 182–183
- Companionship, 834–836
- Compartment syndrome, 269, 273
- Competency, 850
- Complementary medicine, 52–76
- Computed tomography, 106–107
 - in aortic aneurysm, 571
 - in aortic dissection, 568
 - in coronary artery disease, 588
 - in fracture, 270
 - in lung cancer, 698, 699

- Computed tomography (*continued*)
 in osteoporosis, 261–262
 in prostate cancer, 708
 in stroke, 333
 for virtual colonoscopy, 694–695
- COMT (catechol O-methyltransferase)
 inhibitors, 364
- Condom, 30
- Confidentiality, 849
- Conformal radiotherapy, 711
- Confusion, 296–299 (*see also* Delirium;
 Dementia)
 capacity and, 849–850
 at end of life, 192
 with hospitalization, 131–132
 opioid-related, 293–294
 after surgery, 142–144
- Congestive heart failure (*see* Heart fail-
 ure)
- Conjunctivitis, in seborrheic dermatitis,
 438
- Consciousness, loss of (*see* Dizziness;
 Fainting)
- Consent, informed, 848–849
- Constipation, 749–755
 bed rest and, 129
 in colorectal cancer, 692
 at end of life, 189
 opioid-related, 293, 679
 urinary incontinence and, 772
- Constriction devices, in erectile dys-
 function, 802–803
- Consultant pharmacist, 90
- Continuing care retirement community
 (life-care community), 93, 167,
 170
- Continuing education, 825, 884
- Continuous positive airway pressure
 (CPAP), 383
- Contracture
 bed rest and, 128
 after fracture treatment, 269
 after stroke, 332
- Cooling therapy, in heat stroke, 230
- Cooperatives, for adult day care,
 183
- Coordination exercise, 149
- COPD (chronic obstructive pulmonary
 disease), 725–734
 cancer treatment and, 677
 dizziness with, 234
 exercise in, 815
 surgical risk and, 137
 undernutrition and, 202
- Coping with change, 819–826
- Corns, 509–511
- Coronary arteries
 aneurysm of, 569
 angioplasty of, 596–598
 atherosclerosis of (*see* Coronary
 artery disease)
 spasm of, 585
- Coronary artery bypass graft surgery,
 598–599, 642
- Coronary artery disease, 554, 582–602
 angiography in, 101, 114–115
 exercise in, 813
 information resources on, 884
 long-term outlook for, 602
 prevention of, 589–591
 rehabilitation for, 156–157, 813
 risk factors for, 584–585, 601
 sexual activity and, 803
 surgical risk and, 137
 treatment of, 591–602
- Coronary care unit, 126
- Corticosteroids
 in COPD, 732
 in gout, 532, 533
 in idiopathic thrombocytopenic pur-
 pura, 657
 medicinal herb interactions with, 56, 59
 in multiple myeloma, 704
 in myelofibrosis, 669–670
 in osteoarthritis, 523
 osteoporosis with, 259
 in polymyalgia rheumatic, 541–542
 in rheumatoid arthritis, 526, 528
 in shingles, 441
 in temporal arteritis, 541–542
 weight gain with, 211
- Cortisol excess, osteoporosis in, 259
- Cough
 aging-related changes in, 15

- Cough (*continued*)
 bed rest effects on, 129, 130
 in chronic bronchitis, 726
 in COPD, 727, 728
 as defense mechanism, 718
 at end of life, 186–187
 in heart failure, 608–609
 in influenza, 723
 in lung cancer, 697
 in pneumonia, 719
 urinary incontinence with, 770
- Counseling
 in anxiety, 400
 after death of loved one, 822
 in depression, 395
- COX-2 inhibitors (coxibs), 291
 in gout, 532, 533
 in osteoarthritis, 523
 in pseudogout, 536
 in rheumatoid arthritis, 526
- CPAP (continuous positive airway pressure), 383
- CPR (cardiopulmonary resuscitation)
 in advance directive, 852
 in hypothermia, 226
 in ventricular fibrillation, 633
- Cramp(s)
 in atherosclerosis, 557
 heat, 227, 228–229
 leg, 379–382
 writer's, 355
- Crashes (automobile), 826–827
- C-reactive protein, 540
 in coronary artery disease, 584–585
- Creams
 for dry skin, 433
 in seborrheic dermatitis, 438
 in shingles, 442
- Creatine, 62–63
- Crepitus, 521
- Creutzfeldt-Jakob disease, 309
- Crowns, dental, 499
- Crutches, 150
- Cryotherapy, 148
 for fracture, 271
 in osteoarthritis, 522
 for pain, 289
- Cryotherapy (*continued*)
 in rheumatoid arthritis, 529
- Crystal deposition
 in gout, 530–534, 535
 in pseudogout, 534–537
- CSF (*see* Cerebrospinal fluid)
- CT (*see* Computed tomography)
- Culture
 sputum, 720
 urine, 765
- Cushing's disease
 osteoporosis in, 259
 weight gain with, 212
- Cyanosis
 in COPD, 728
 in heart failure, 609
- Cyclobenzaprine, 47
 medicinal herb interactions with, 58
- Cyclophosphamide, 526
- Cyclosporine
 medicinal herb interactions with, 56, 59
 in rheumatoid arthritis, 526
- Cyproheptadine, 45
- Cyst(s)
 in breast, 684
 in rheumatoid arthritis, 525
- Cystitis, 762–766
- Cystocele, 763–764, 786, 787
 urinary incontinence and, 770
- Cystoscopy
 infection with, 764
 in urinary incontinence, 774
 in urinary tract infection, 766
- Cytokines, in cancer, 674

D

- Dairy intolerance, 15–16
- Dalteparin, 592
- Dancing, 30
- D and C (dilatation and curettage), 785
- Dandruff, 437–438
- Darbepoietin
 in anemia of chronic disease, 655
 in chronic lymphocytic leukemia, 691
 in multiple myeloma, 705
- Dating, 834–836

- Dawn phenomenon, 425
- Day care centers, 182–183
- Day hospital, 94
- Daytime sleepiness, 371–372, 379
- D-carnitine, 60
- D-dimer, in deep vein thrombosis, 578
- Deafness (*see* Hearing, loss of)
- Death (*see also* End-of-life care)
 causes of, 23–25, 183–184
 impending signs of, 184
 of loved one, 196, 821–822
- Death rattle, 184
- Decibels, 476
- Decision-making
 about driving, 830
 about health care, 847–849
 advance directives and, 851–853
 capacity and, 849–850
 competence and, 850
 surrogate, 854
- Decongestants
 urinary incontinence with, 771
 in viral rhinitis, 487
- Decubitus ulcers (*see* Pressure sores)
- Deep brain stimulation
 in dystonia, 356
 in Parkinson's disease, 367
- Deep vein thrombosis, 577–580
 in disseminated intravascular coagulation, 659
 after stroke, 332
- Defibrillation, 626
 in ventricular fibrillation, 633
- Dehydration, 200, 214–216
 in constipation, 750
 in diarrhea, 757, 758–759
 dry mouth with, 503
 high calcium level and, 222
 high sodium level and, 220
 during hospitalization, 130
 hyperthermia and, 228
 orthostatic hypotension with, 233
- Dehydroepiandrosterone (DHEA), supplemental, 62–63
- Delayed sleep phase syndrome, 385
- Delirium, 296–297, 300–306
 drug-related, 300–301
- Delirium (*continued*)
 at end of life, 192
 with hospitalization, 131–132
 screening for, 33
 after surgery, 142–144
- Delirium tremens (DTs), 300
- Dementia, 297–298, 306–325 (*see also* Alzheimer's disease)
 acetyl-L carnitine in, 60
 anxiety with, 392
 delirium with, 303
 dental care in, 499
 depression with, 392
 driving and, 827
 end-of-life care in, 318
 exercise in, 813–814
 ginkgo biloba in, 66
 home care and, 166, 178
 information resources on, 882
 intimacy and, 837–838
 Lewy body, 324–325
 paranoia with, 402
 rehabilitation and, 147
 screening for, 33
 sleep disorders with, 311, 317–318, 372–373, 375
 treatment of, 313–318
 vascular, 322–324
- Demographics, of aging, 18–20, 25
- Densitometry, bone, 32–33, 104–106
- Dental plaque, 497, 500
- Dental problems (*see* Tooth [teeth])
- Dental restorations, 499
- Dentures, 505–506
 dry mouth and, 503
- Depression, 386–396
 bed rest and, 129
 cancer-related, 680
 constipation in, 750
 after death of loved one, 822
 in dementia, 311, 392
 DHEA supplements in, 63
 dizziness in, 235
 drugs for (*see* Antidepressants)
 at end of life, 191
 forgetfulness and, 308, 389
 after heart attack, 587, 601–602

- Depression (*continued*)
 information resources on, 885
 major, 387
 manic, 387, 391, 393, 395
 melatonin and, 71
 in Parkinson's disease, 362
 psychotic, 387
 rehabilitation and, 147
 screening for, 34
 sleep disturbance with, 375
 St. John's wort in, 72
 after stroke, 337–338
 treatment of, 392–396
 undernutrition and, 202, 206
 urinary incontinence and, 772
- Depth perception, 9
- Dermatitis, seborrheic, 437–438
 of vulva, 783
- Dermatologist, 86
- Dermatome, 439, 440
- Dermis, 431, 432
- Desipramine
 in depression, 394
 urinary incontinence with, 771
- Detrusor muscle, 769
- Devices (*see* Assistive devices)
- Dexamethasone, 704
- DEXA (dual-energy x-ray absorptiometry) scan, 32–33, 104–106, 261, 262
- Dextroamphetamine, 394
- DHEA (dehydroepiandrosterone), supplemental, 62–63
- Diabetes mellitus, 414–428
 blood sugar monitoring in, 425–426
 complications of, 414, 416, 417, 418, 419, 427–428
 constipation in, 750
 coronary artery disease and, 584, 591
 dizziness in, 232, 233, 234, 235
 driving and, 827
 erectile dysfunction and, 800
 exercise in, 814
 eye problems (retinopathy) in, 460–462
 information resources on, 885
 low blood sugar (hypoglycemia) in, 427–428, 814, 827
- Diabetes mellitus (*continued*)
 nerve problems (neuropathy) in, 348
 orthostatic hypotension in, 233
 prevention of, 418
 screening for, 33, 418
 treatment of, 418–426
 undernutrition and, 202
 urinary incontinence and, 772
- Diagnostic tests (*see* Test[s])
- Diaphragm, 743–744
 aging of, 15
 hernia of, 736, 742, 744
 spasms of (hiccups), 353
- Diarrhea, 755–759
 berberine and, 67–68
 in colorectal cancer, 692
 with dairy products, 15–16
 in terminal illness, 189
 undernutrition and, 201
- Diastolic blood pressure, 32, 543
- Diathermy, 147
 for pain, 289
- Diazepam, 44, 45
 medicinal herb interactions with, 58, 59
 urinary incontinence with, 771
- Diclofenac, 526
- Dicyclomine, 45
 in urinary tract infection, 766
- Diet (*see also* Food; Nutrition)
 acid reflux and, 744
 in atherosclerosis, 557–558, 560
 cholesterol level and, 555–556
 in colorectal cancer prevention, 692
 in constipation, 752, 754
 in coronary artery disease, 589, 590
 in diabetes, 419, 420
 in fecal incontinence, 760
 in gout, 530–531, 532
 healthy, 29–30, 205
 in heart failure, 608, 610–611, 612
 hospital, 130–131
 information resources on, 888
 low-calorie, 2
 low-fat, 2, 39–40
 low-protein, 39–40
 low-salt, 39–40

- Diet (*continued*)
- Mediterranean, 2
 - in Parkinson's disease, 363
 - in pressure sore prevention, 447
 - in rheumatoid arthritis, 528
 - in stroke prevention, 334–335
 - tooth loss and, 505
 - in vulvar pain prevention, 782
- Dietary supplements, 55–72
- drug interactions with, 49, 54–55, 56–59
 - for nutritional disorders, 206
 - safety of, 54–55
- Dietitian, 90
- Digestive system
- aging of, 15–16, 201
 - at end of life, 188–189
 - endoscopy of, 99–100, 115–118
 - infection of, 756, 757, 758
 - information resources on, 885
- Digital rectal examination (*see* Rectum, digital examination of)
- Digoxin, 46
- in abnormal heart rhythms, 623, 629–630
 - delirium with, 301
 - in heart failure, 612, 615
 - in heart valve disorders, 640
 - medicinal herb interactions with, 58, 59
 - undernutrition and, 203
- Dilatation and curettage (D and C), 785
- Diltiazem
- in abnormal heart rhythms, 623, 629–630
 - in coronary artery disease, 594
 - in high blood pressure, 549
 - urinary incontinence with, 771
- Diphenhydramine, 45
- in dystonia, 356
 - in insomnia, 378
 - side effects of, 49
 - urinary incontinence with, 771
- Diphenoxylate, 758
- Diphtheria vaccine, 32
- Diplopia (double vision), 539
- Dip stick (urine) tests, 765
- Dipyridamole, 662, 663
- Disability
- demographics of, 22–23
 - exercise and, 814
 - information resources on, 882, 885–886
- Discharge, from hospital, 135
- Disease-modifying anti-rheumatic drugs, 526–527, 528
- Disks, degenerative disease of, 233
- Disopyramide, 46, 624
- Disorientation
- in delirium, 302
 - in dementia, 310, 311
 - in stroke, 330
- Disseminated intravascular coagulation, 658–659, 660, 663
- Distance perception, 9
- Diuretics
- dehydration with, 215
 - dizziness with, 232, 234
 - fainting with, 241, 244
 - in heart failure, 612, 615
 - in heart valve disorders, 641
 - in high blood pressure, 549
 - high sodium levels with, 220
 - low potassium levels with, 220
 - medicinal herb interactions with, 58
 - in overhydration, 217–218
 - undernutrition and, 202
 - in urge incontinence, 775
 - urinary incontinence with, 771
 - water consumption with, 39
- Diverticula, esophageal, 738, 739, 742, 743
- Dizziness, 230–239
- in abnormal heart rhythms, 619
 - on standing, 128
 - in stroke, 330
 - tilt table therapy for, 151
- DNR, 852
- Dobutamine, 613, 616
- Doctor, 28, 88 (*see also* Primary care doctor)
- communicating with, 78–84
 - in nursing home, 171
 - office of, 92
 - types of, 86–87, 89

- Docusate, 753, 755
 Dofetilide, 622, 630
 Donepezil, 316
 Do-not-resuscitate order, 852
 Dopamine
 in heart failure, 613, 616
 in Parkinson's disease, 360
 Dopamine agonists
 delirium with, 301
 in Parkinson's disease, 364, 366
 Doppler ultrasound, 112–113
 in deep vein thrombosis, 578
 in peripheral arterial disease, 562
 in stroke, 333
 Double vision, 453, 539
 Double voiding, 777
 Dowager's hump, 259, 281
 Doxazosin
 in benign prostatic hyperplasia, 794
 in high blood pressure, 548
 in prostatitis, 796
 urinary incontinence with, 771
 Doxepin, 46
 in depression, 394
 Driver's license, 830
 Driving, 826–830
 cessation of, 830
 dementia and, 310, 314
 information resources on, 886
 safe, 31
 Dronabinol, 679
 Drowsiness, opioids and, 293
 Drugs, 43–52
 abnormal heart rhythms with, 618
 acid reflux with, 744
 alcohol interactions with, 388
 anesthetic, 141
 anticholinergic effects of, 48–49, 52, 141
 anxiety symptoms with, 398
 aplastic anemia with, 651
 for appetite stimulation, 206
 benefits of, 43
 benign prostatic hyperplasia with, 793
 body processing of, 44, 48
 brand names for, 869–880
 constipation with, 750
 Drugs (*continued*)
 decreased sex drive with, 804
 delirium with, 300–301, 302
 dementia and, 307
 diarrhea with, 757, 758
 dietary supplement interactions with, 49, 54–55, 56–59
 dizziness with, 232, 234, 235
 driving and, 828
 dry mouth with, 502
 erectile dysfunction with, 800
 esophageal damage with, 738
 fainting with, 241, 245
 falls and, 248–249
 generic names for, 869–880
 gum growth with, 500
 hearing loss with, 473
 high blood pressure with, 544
 high potassium levels with, 220–221
 high sodium levels with, 220
 hyperthyroidism with, 410
 hypothyroidism with, 408, 409
 information on, 31, 49–51, 79–80
 interactions of, 49
 label for, 50
 low potassium levels with, 220
 Medicare payment for, 856
 names for, 869–880
 nonprescription (over-the-counter), 51–52
 orthostatic hypotension with, 233
 osteoporosis with, 259
 overhydration with, 216
 pharmacist for, 50, 90, 97
 psychosis with, 401
 reminder systems for, 51
 rhinitis with, 488–489
 risks of, 44–49
 safe use of, 49–51
 schedule for, 49, 50, 51
 sensitivity to, 48–49
 side effects of, 44
 during hospitalization, 133–134
 swallowing difficulty with, 737
 thyroid hormone interactions with, 409–410
 tolerance to, 293

Drugs (*continued*)
trade names for, 869–880
undernutrition and, 201, 202–203
urinary incontinence with, 771, 774
vitamin D processing and, 221
weight gain with, 211
for weight reduction, 213
Dry eye, 9, 466
Dry gangrene, 561
Dry mouth, 11, 501–504
after radiation therapy, 702
tooth decay and, 497
Dry skin, 432–433
DTs (delirium tremens), 300
Dual-energy x-ray absorptiometry
(DEXA) scan, 32–33, 104–106, 261,
262
Dupuytren's contracture, 417
Durable power of attorney for health
care, 138, 192–193, 851, 852–853
Dutasteride, 794
Dye
for cardiac angiography, 114
for CT scan, 106
for MRI, 107
Dying (*see* End-of-life care)
Dysarthria
rehabilitation for, 162
in stroke, 330
Dysequilibrium, 231
Dyskinesia, tardive, 356–357, 403
Dysphagia, 736–743
Dysphonia, spasmodic, 355
Dyspnea (*see* Breath, shortness of)
Dysthymic disorder, 387
Dystonia, 354–356
Dysuria, 764

E

Ear canal, bony projections in, 473
Eardrum, 470, 471
Ears, 470–471 (*see also* Hearing, loss of)
aging of, 10–11
dizziness and, 232, 236
irrigation of, 483
ringing in (tinnitus), 480–482
wax in (*see* Earwax)

Ears (*continued*)
Earwax, 10, 473, 482–483
dizziness and, 232
Eating (*see also* Diet; Food; Nutrition)
hospitalization and, 130–131
low blood pressure after, 233, 235
in nursing home, 172, 200
occupational therapy for, 155
tooth loss and, 505
Eating disorders, information resources
on, 886
ECG (*see* Electrocardiography)
Echinacea, 63
drug interactions with, 56
Echocardiography, 112
in aortic aneurysm, 571
in aortic dissection, 568
in atrial flutter and fibrillation, 629
in cardiomyopathy, 606
in coronary artery disease, 588
in fainting evaluation, 242
in heart failure, 609–610
in heart valve disorders, 639
in stroke evaluation, 334
Ectropion, 467
Eczema craquelé, 433
Edema (*see* Swelling [edema])
Education
continuing, 825, 884
driver, 829
EEG (*see* Electroencephalography)
Effusion
around heart (pericardial), 567, 607
in lung cancer, 698
around lung (pleural), in lung cancer,
697
EGD (*see* Esophagogastroduo-
denoscopy)
Ejaculation, retrograde, 804–805
Ejection fraction, 610
Elastic stockings
in chronic venous insufficiency, 580
in varicose veins, 575
Eldercare Locator, 847
Elder mistreatment, 843–847
Electrical stimulation, of muscles,
152–153

- Electrocardiography (ECG), 100
 - in abnormal heart rhythms, 620, 621
 - in atrial flutter and fibrillation, 629
 - in coronary artery disease, 587–588
 - in dizziness evaluation, 237
 - in fainting evaluation, 242
 - in fall evaluation, 250
 - in hyperkalemia, 221
 - in stroke, 334
 - in ventricular tachycardia, 631
- Electrocautery, in rosacea, 437
- Electroconvulsive (shock) therapy, 395–396
- Electroencephalography (EEG), 100
 - in fainting evaluation, 243
- Electrolytes, 213–214
 - abnormal levels of, 218–222
 - after surgery, 143
- Electromyography (EMG), 120–121, 348, 540
- Electrophoresis, in multiple myeloma, 704
- Electrophysiologic testing, in abnormal heart rhythms, 620–621, 632
- Embolism
 - in abnormal heart rhythms, 619
 - in aneurysm, 569
 - in atherosclerosis, 554, 560
 - in deep vein thrombosis, 577
 - in peripheral arterial disease, 561
 - pulmonary
 - bed rest–related, 128, 269
 - in deep vein thrombosis, 577, 578
 - prevention of, 579, 580
 - after stroke, 332
 - retinal, 464
- Emergency department, 124–125
 - for abnormal heart rhythms, 626
 - for heart attack, 599–600
 - for heart failure, 613
- Emphysema, 725–734
 - heart failure and, 608
- Empty-calorie foods, 37
- Enalapril
 - in coronary artery disease, 592
 - in heart failure, 614
 - in high blood pressure, 548
- Encephalitis, in influenza, 722, 723
- Enderterectomy, 335, 464
- Endocrine system (*see also specific glands and hormones*)
 - aging of, 17
- Endocrinologist, 86
- End-of-life care, 183–197
 - advance directives and, 192–193
 - assisted suicide and, 193–194
 - bedside atmosphere during, 193
 - in cancer, 680
 - in COPD, 733–734
 - in dementia, 318
 - depression and, 191
 - in heart failure, 616–617
 - hospice care for, 95, 194–196
 - information resources on, 884–885
 - loss of appetite and, 188–189
 - pain during, 185–186
 - in Parkinson’s disease, 367
 - peace and resolution at, 196–197
 - in progressive supranuclear palsy, 369
- Endometrium, biopsy of, 784–785
- Endorphins, 396
- Endoscopy, 99–100
 - of digestive system, 99–100, 115–118
 - in gastroesophageal reflux, 745–746
 - of joint, 100
 - in swallowing difficulty, 740, 743
- Endovascular repair, 572
- Enema, tap water, 752
- Energy, in food, 35
- Enoxaparin, 592
- Entacapone, 364, 366
- Enterocoele, 786, 787
- Entropion, 467
- Enzymes, supplemental, 60
- Epidermis, 431, 432
- Eplerenone, 612, 615
- Epley maneuver, 237, 238
- Eprosartan
 - in coronary artery disease, 592
 - in heart failure, 614
 - in high blood pressure, 548
- Eptifibatide, 593
- Erectile dysfunction, 799–803
 - information resources on, 886

- Erythrocytes (*see* Red blood cells)
- Erythrocyte sedimentation rate, (ESR), 527–528, 540
- Erythropoietin, 649
 - in anemia of chronic disease, 655
 - in bone marrow disorders, 651
 - in chronic lymphocytic leukemia, 691
 - in multiple myeloma, 705
 - in myelofibrosis, 670
 - in polycythemia, 667
- Escherichia coli* infection, 719
- Escitalopram, 393, 394
- Esomeprazole, 747
- Esophageal echocardiography, 629
- Esophagitis, 743
- Esophagogastroduodenoscopy, 99, 117–118
 - in anemia, 654
- Esophagus
 - balloon dilation of, 741
 - Barrett's, 745
 - bleeding from, 745
 - cancer of, 739, 745
 - diverticulum of, 738, 739, 742, 743
 - drug-related damage to, 738
 - fistula of, 698
 - inflammation of (esophagitis), 743
 - pH of, 746
 - Schatzki's ring of, 738
 - spasms of, 737, 740, 741
 - sphincters of, 735, 736, 737
 - botulinum toxin injection of, 741
 - cutting of, 741
 - in gastroesophageal reflux, 743, 744, 746
 - stricture of, 737–738, 743
 - ulcers of, 743
 - varicose veins of, 669
 - webs of, 738, 741, 743
- ESR (erythrocyte sedimentation rate), 527–528, 540
- Essential tremor, 357–360
- Estrogen
 - postmenopausal levels of, 17, 257–258, 780
 - receptors for, in breast cancer, 685, 688
- Estrogen (*continued*)
 - saw palmetto interaction with, 59
 - synthetic
 - in atrophic vaginitis, 781–782, 789
 - in osteoporosis, 263–265
 - side effects of, 264, 265
 - in stress incontinence, 775
 - in vaginal bleeding, 785
- Etanercept, 527
- Ethacrynic acid, 217
 - dizziness with, 232
 - in heart failure, 615
- Ethical issues, 847–854
- Ethicist, 91
- Etidronate, 263
- Eustachian tube, 470, 471
- Euthanasia, 193–194
- Event recorder, for abnormal heart rhythms, 620, 629
- Excessive daytime sleepiness, 371–372, 379
- Exercise, 30, 805–817
 - abnormal heart rhythms with, 619
 - aerobic, 148–149, 809
 - in arthritis, 812
 - in coronary artery disease, 590, 813
 - after stroke, 817
 - in arthritis, 811–813
 - in atherosclerosis, 558
 - balance, 150, 810
 - for bed rest patient, 129
 - benefits of, 806–807
 - breathing, 720
 - breathing during, 15
 - cardiac function during, 6
 - for cold protection, 225
 - cooling down from, 809
 - coordination, 149
 - in COPD, 733
 - in coronary artery disease, 590, 813
 - in dementia, 813–814
 - in depression, 396
 - in diabetes, 419, 420–421, 814
 - in disabilities, 814
 - in dystonia, 356
 - for fainting prevention, 244
 - in fecal incontinence, 760

Exercise (*continued*)

- after fracture treatment, 274–275
 - hand, 812
 - health benefits of, 2, 805–807
 - in heart failure, 610, 814–815
 - in hot weather, 229
 - intensity of, 808
 - isometric, 149, 809
 - in arthritis, 812
 - isotonic, 149, 809
 - Kegel, 776, 809
 - in incontinence, 775
 - for leg cramps, 381
 - in lung disorders, 815
 - in obesity, 212–213
 - in osteoarthritis, 522
 - for osteoporosis prevention, 262
 - pain during, 809
 - in Parkinson's disease, 363, 816
 - in peripheral arterial disease, 563, 816–817
 - physician evaluation for, 807–808, 811
 - range-of-motion, 149
 - after fracture treatment, 274–275
 - after stroke, 157
 - in rheumatoid arthritis, 529
 - strengthening, 13, 149, 809–810
 - stretching, 810
 - after stroke, 817
 - in stroke prevention, 334
 - supervision for, 811
 - in swallowing difficulty, 741
 - vocal, 492
 - warming up for, 808–809
 - in water, 522, 810, 812, 817
- Exercise stress testing, 620
- in coronary artery disease, 813
 - for sexual activity safety, 803
 - in ventricular tachycardia, 632
- Exophthalmos, 411
- External fixation, for fracture, 272–273, 283
- Extracorporeal shock wave lithotripsy, 532
- Eye(s) (*see also* Vision)
- age-related macular degeneration of, 458–460, 828

Eye(s) (*continued*)

- aging of, 7, 9–10
 - anatomy of, 451
 - blood flow to, 462–465
 - bulging of (exophthalmos), 411
 - in diabetes, 416, 417, 427, 460–462
 - disorders of, 450–470
 - driving and, 828
 - dry, 9, 466
 - emboli of, 464
 - floaters in, 9
 - function of, 451
 - glaucoma of, 232, 455–458, 828
 - gray-white ring of, 10
 - ischemia of, 464–465
 - jerking movements of (nystagmus), 236
 - in occipital lobe stroke, 465
 - pressure elevation in (glaucoma),
 - dizziness and, 232
 - in progressive supranuclear palsy, 368
 - retina detachment of, 465–467
 - retinal artery blockage of, 463
 - retinal vein blockage of, 463
 - in seborrheic dermatitis, 438
 - in shingles, 440–441
 - sunken appearance of, 10
 - surgery on, 452
 - tear production in, 466
 - whites of, 9–10
- Eye drops, 457
- Eyeglasses
- after cataract surgery, 455
 - dizziness and, 232
 - during hospitalization, 132
 - reading, 7
- Eyelashes, in seborrheic dermatitis, 438
- Eyelid
- chalazion of, 469
 - disorders of, 467–470
 - drooping of, 467–468
 - inflammation of, 468
 - inward turning of, 467
 - laxity of, 10, 467
 - spasms of, 355, 468

Eyelid (*continued*)
 stye of, 469
 xanthelasma of, 469
Ezetimibe, 559

F

Face

 pain in, 341–343
 rosacea of, 434, 436–437
 seborrheic dermatitis of, 437–438
 shingles of, 440–441

Factor V Leiden mutation, 659

Failure to thrive, 204

Fainting, 239–245

 in abnormal heart rhythms, 619
 in diarrhea, 757

Falls, 247–253

 during hospitalization, 133
 in Parkinson's disease, 362
 prevention of, 133, 251–253, 270
 undernutrition and, 204

False-negative test result, 102

False-positive test result, 102

Family (*see also* Caregivers)

 intimacy and, 838–840

Family Medical Leave Act, 179

Family practice doctor, 86

Famotidine, 46

 in gastroesophageal reflux, 747
 medicinal herb interactions with, 57

Fasciitis, plantar, 515

Fat

body

 estimate of, 41, 204
 increase in, 14, 35, 210–213 (*see also* Obesity)
 dietary, 30, 37–38
 subcutaneous, 12, 431, 432

Fatigue

 in cancer, 679–680
 at end of life, 190

Fatty acids, trans, 37, 43

Fear, 6

Fecal incontinence, 759–760

 in colorectal cancer, 692
 during hospitalization, 132–133
 pressure sores and, 445

Feces (*see* Stool)

Feeding (*see also* Diet; Food;
 Nutrition)

 intravenous, 207

 tube, 131, 144, 206–207

 in undernutrition, 131, 205–207

Felodipine

 in coronary artery disease, 594

 in high blood pressure, 549

Felty's syndrome, 525

Femoral artery, 552

 aneurysm of, 569

Fenofibrate, 559

Fentanyl, 292

Fertility, male, 17

Fever, 226

 in influenza, 722

 in urinary tract infection, 764

Feverfew, 63–64

 drug interactions with, 56

Fiber, dietary, 38, 558

 in constipation, 752, 754

 in fecal incontinence, 760

Fibric acid derivatives, 559

Fibroids, uterine, 784, 785

Fibrosis

 bone marrow, 651, 666, 668–670

 pulmonary, 608

Fillings, dental, 499

Filter, for blood clots, 579, 580

Finances

 function and, 6

 health care, 854–867

 home health care and, 178, 181, 859

 of older Americans, 20–21

 relationships and, 839

Financial abuse, 844

Finasteride

 in benign prostatic hyperplasia, 794

 in overflow incontinence, 776

Fine-needle aspiration biopsy, of thy-
 roid gland, 413

Fistula

 esophageal, in lung cancer, 698

 vesicoenteric, 762–763, 764

 vesicovaginal, 763, 764

Flapping tremor, 353

- Flashing lights, in diabetic retinopathy, 461
- Flecainide, 622
- Floater(s), 9
in diabetic retinopathy, 461
- Flu (*see* Influenza)
- Fludrocortisone, 371
- Fluid(s) (*see also* Water)
body
loss of (*see* Dehydration)
postsurgical imbalance of, 143
retention of (*see* Swelling [edema])
tests on, 98
around heart (pericardial effusion), 567, 607
around lungs (pleural effusion), in lung cancer, 697
- Fluid therapy
in dehydration, 215–216, 503
in diarrhea, 758–759
in fainting prevention, 244
for high calcium levels, 222
in hyperthermia, 229
shortness of breath and, 187
- Fluorescein angiography, 459, 461, 463
- Fluoride, supplemental, 266
- Fluoroscopy, in swallowing difficulty, 740
- Fluoxetine
in depression, 393, 394
St. John's wort interaction with, 59
undernutrition and, 202
- Fluphenazine, 404
- Flurazepam, 44, 45
urinary incontinence with, 771
- Flutamide, 712
- Fluvastatin, 559
in coronary artery disease, 590, 594–595
- Fluvoxamine, 394
- Folic acid (folate)
in coronary artery disease, 591
deficiency of, 208, 650, 654–655, 659
- Food (*see also* Diet; Nutrition)
acid reflux and, 744
aspiration of, 206, 720, 739, 745
calcium in, 38–39
- Food (*continued*)
carbohydrates in, 37
contamination of, 756
empty-calorie, 37, 200
energy content of, 35
fats in, 37–38, 558
fiber in, 38
in gastroesophageal reflux, 746
for healthy diet, 29–30
hospital, 130–131
labels for, 41–43
in nursing home, 200
nutrient content of, 37, 200
potassium-rich, 612
preparation of, 205
protein in, 38
reflux of, 206
regurgitation of, 739
rhinitis with, 488
serving sizes of, 42
in swallowing difficulty, 740–741
swallowing of (*see* Swallowing)
taste of, 11
tooth loss and, 505
vitamin D in, 38–39
- Food pyramid, 35, 36
- Foot (feet)
bunion of, 511–513
calluses of, 509–511
care of, 419, 510
corns of, 509–511
in diabetes, 416, 417, 418, 419
pain in, 514–516
in peripheral arterial disease, 564
- Foreign objects, in esophagus, 738
- Forgetfulness, 308
in Alzheimer's disease, 321
in dementia, 310
- Forms, medical history, 80
- Fosinopril
in coronary artery disease, 592
in heart failure, 614
in high blood pressure, 548
- Foster Grandparent Program, 824–825
- Fountain of youth, 1–3
- Fracture, 268–284
bed rest and, 128, 274

Fracture (*continued*)
cast for, 271–273
healing of, 275–276
hip, 249, 260, 276–280
 prevention of, 251–252, 277
 treatment of, 274, 277–280
in osteoporosis, 259–260, 266,
 280–282
pins for, 272–273
reduction of, 271
shoulder, 282
spine (vertebrae), 259–260, 280–282
surgery for, 273–274
traction for, 273
wrist, 275, 283–284
Free radicals, 2, 5
Fructose, diarrhea and, 757
Fungal infection
 at end of life, 189
 oral, 507
 pneumonia, 719
 sinus, 490, 491
 toenail, 517–518
Furosemide, 217
 dizziness with, 232
 in heart failure, 612, 615
 urinary incontinence with, 771

G

Gabapentin, 342
Gait
 in Parkinson's disease, 361–362
 in Shy-Drager syndrome, 369
Gait training, 150–151
 after hip replacement, 159
 after stroke, 158
Galantamine, 316
Gallbladder scan, 110
Gallium scan, 110
Gangrene
 with aneurysm, 571
 in peripheral arterial disease, 561
Garlic, 64
 drug interactions with, 56
Gas, with dairy products, 15–16
Gastroenteritis, 756, 757, 758
Gastroenterologist, 86

Gastroesophageal reflux disease
 (GERD), 734, 738, 743–747
 sleep disorders with, 375
Gay relationships, 840–841
Gemfibrozil, 559
Generic names, for drugs, 869–880
Genetic testing, 100–101
Genitals
 female, 778–781
 male, 791
GERD (*see* Gastroesophageal reflux dis-
 ease)
Geriatric care manager, 96
Geriatrician, 88, 134
Gerontologist, 89
Giant cell arteritis, 537–542
 blood clots with, 659
Ginger, 65
 drug interactions with, 56–57
Gingivitis, 497, 500–501
Ginkgo biloba, 65–66
 in dementia, 316
 drug interactions with, 54–55, 57
Ginseng, 66–67
 drug interactions with, 57–58
Glare, sensitivity to, 9
Glasses (*see* Eyeglasses)
Glaucoma, 455–458
 dizziness and, 232
 driving and, 828
Gleason score, 708
Glimepiride, 422
Glipizide, 422
 medicinal herb interactions with, 57
Glucagon, 428
Glucosamine, 67
 in osteoarthritis, 523
Glucose, blood (*see* Blood sugar)
Glucosidase inhibitors, 421, 423
Glyburide, 422
Glycoprotein IIb/IIIa inhibitors, 593
Goiter, 406
 multinodular, 410, 411, 413
Gold compounds, 526
Goldenseal, 67–68
 drug interactions with, 58
Goniometry, 149

- Goserelin, 711–712
- Gout, 530–534
vs. pseudogout, 535
- Grab bars, 252
- Grafts
in aortic repair, 572
in coronary artery bypass, 598–599
in peripheral artery bypass, 564
in pressure sores, 447
in skin cancer, 714
in venous ulcers, 450
- Graves' disease, 410, 411, 412
- Grieving, 196–197, 822
information resources on, 884–885
sleep disturbance and, 375
- Growth hormone (human), 69–70
aging-related changes in, 17, 211
- Gryphosis, 517
- Guillain-Barré syndrome, in influenza, 722, 723
- Gums
drug-related growth of, 500
inflammation of (gingivitis), 497, 500–501
recession of, 11
- Gustatory rhinitis, 488
- Gynecologists, 86
-
- H**
- Haemophilus influenzae* infection, 719
- Hair
chemotherapy-related loss of, 679
undernutrition effects on, 204
- Hallpike maneuver, 236
- Hallucinations, 402
- Haloperidol, 45, 404
medicinal herb interactions with, 57
urinary incontinence with, 771
- Hammer toe, 513–514
- Hand exercises, 812
- Handwriting, in Parkinson's disease, 362
- Hashimoto's thyroiditis, 408
- H₂ blockers
delirium with, 301
in gastroesophageal reflux, 747
medicinal herb interactions with, 57, 58
- HDL cholesterol (*see* Cholesterol)
- Head, cancer of, 701–703
- Headache
in COPD, 728
in high blood pressure, 545
nitrate-related, 596
in stroke, 330
in temporal arteritis, 539
- Health care
continuity of, 85–97
coordination of, 95–97
disruption of, 85–88
end-of-life, 183–197
home (*see* Home health care)
insurance for, 854–867
information resources on, 888
interdisciplinary, 88, 95–96
for hospice care, 195
during hospitalization, 134
for rehabilitation, 145
palliative, 183–197
settings for, 91–95
- Health care practitioners
communicating with, 78–84, 96–97, 104
teams of (*see* Health care, interdisciplinary)
types of, 88–91
- Health Insurance Portability and Accountability Act, 849
- Health maintenance organization, 864, 866–867
- Healthy aging, 4, 6
- Healthy lifestyle, 29–31
- Hearing, 470–471
aging-related changes in, 10–11
loss of, 471–480
conductive, 473–474
dizziness and, 232
drug-related, 473
information resources on, 884
physician-patient communication and, 80–81
prevention of, 476
rehabilitation for, 163
screening for, 34
sensorineural, 474

Hearing, loss of (*continued*)
sleep disorders with, 373–374, 375
tests for, 475
tinnitus and, 481

Hearing aid, 163, 472, 476–478
during hospitalization, 132
during phone calls, 478

Heart

abnormal rhythms of, 617–636 (*see also* Arrhythmias)

aging of, 14, 15

angina of, 557, 582, 585–586

angioplasty of, 596–598, 600

arteries of (*see* Coronary arteries)

blood clots in, 329, 606

blood flow through, 583, 604, 610

catheterization of, 101, 114–115,
588–589, 600

effusion around (pericardial effusion),
567, 607, 698

ejection fraction of, 610

enlargement of, 606

failure of (*see* Heart failure)

functional decline of, 6

murmurs of (*see* Murmurs)

oxygen requirement of, 582

pounding/racing of (palpitations)
in abnormal heart rhythms, 617,
619

in coronary artery disease, 585

fainting with, 239

in heart valve disorders, 638

sounds of, in heart failure, 609

stiffness of, 607

surgery on, 642

in abnormal heart rhythms,
624–625

in coronary artery disease,
598–599, 642

in heart failure, 613

rehabilitation after, 156–157, 601

in valve disorders, 640, 641, 642,
648

valves of (*see* Heart valves)

Heart attack, 557, 582, 585, 586–587

in diabetes, 416, 417

dizziness after, 235

Heart attack (*continued*)

driving and, 830

emergency treatment of, 599–600

heart failure after, 606, 607

information resources on, 884

long-term outlook after, 602

recognition of, 587

referred pain in, 287

rehabilitation after, 156–157, 813

sexual activity and, 803

silent, 586

surgical risk after, 137

Heartbeats, 617–618

in atrial flutter and fibrillation,
628–631

during exercise, 808

in heart block, 635–636

premature, 627

in sick sinus syndrome, 633–634

in sinus bradycardia, 633–634

in ventricular fibrillation, 632–633

in ventricular tachycardia, 631–632

Heart block, 618, 635–636

Heartburn, 744

Heart failure, 604–617

blood clots in, 660

cancer treatment and, 677

diastolic, 604–606, 607

dizziness in, 234

exercise in, 814–815

in heart valve disorders, 638–639

in high blood pressure, 545

left-sided, 604

outlook for, 613, 616–617

overhydration in, 216

prevention of, 610–613

pulmonary edema in, 586

rehabilitation for, 156–157

right-sided, 604

sexual activity and, 803

sleep disturbance with, 375

surgical risk and, 137

systolic, 604–606, 607–608

ubiquinone in, 61–62

Heart valves, 583

disorders of, 636–648

aortic valve, 642–645

- Heart valves, disorders of (*continued*)
 dizziness with, 234
 in heart failure, 608
 mitral valve, 637, 646–648
 outlook for, 641–642
 sexual activity and, 803
 function of, 636
 replacement of, 640, 641, 642, 648
- Heat, body, 223–224, 227–228
- Heat cramps, 227, 228–229
- Heat exhaustion, 227, 228–229
- Heatstroke, 227, 228–229, 230
- Heat therapy, 147–148, 289
 in osteoarthritis, 522
 in rheumatoid arthritis, 529
 in superficial thrombophlebitis, 576
- Heberden's nodes, 521
- Heel pain, 514–516
- Hemangioma, 435
- Hematocrit
 in anemia, 653
 in polycythemia, 667
- Hematologist, 86
- Hemiarthroplasty, 278–279
- Hemoglobin, 649
- Hemoglobin A_{1c}, 426
- Hemolytic anemia, 651
- Hemorrhage, cerebral (*see* Stroke)
- Hemorrhoids, 751
- Heparin, 662
 in clotting factor disorders, 662
 in coronary artery disease, 592
 in deep vein thrombosis, 580
 in heart failure, 615
 medicinal herb interactions with, 58
 platelet count and, 656
 in stroke, 336
- Herbal supplements, 55–60 (*see also* Dietary supplements)
- Hernia
 hiatal, 736, 742, 744
 inguinal, 797–798
- Herpes labialis (cold sores), 506–507
- Herpes simplex virus infection, 836–837
- Herpes zoster (shingles), 438–442
 pain after, 286, 294, 344–345
- Hexitol, diarrhea and, 757
- Hiatal hernia, 736, 742, 744
- Hiccups, 351, 353
- High blood pressure, 542–551
 aneurysm and, 568, 569
 aortic dissection and, 566
 atherosclerosis and, 554
 coronary artery disease and, 584, 590
 diagnosis of, 545–547
 drugs for, 547–550 (*see also* Antihypertensive drugs)
 essential, 544
 garlic and, 64
 malignant, 557
 screening for, 32
 secondary, 544
 sexual activity and, 803
 surgical risk and, 137
 white-coat, 546
- Hip
 arthritis of (*see* Arthritis)
 fracture of, 249, 260, 276–280
 prevention of, 251–252, 277
 treatment of, 274, 277–280
 replacement of, 278–280
 in osteoarthritis, 523
 rehabilitation after, 158–159
 in rheumatoid arthritis, 529
- Histamine-2 (H₂) blockers
 delirium with, 301
 in gastroesophageal reflux, 747
 medicinal herb interactions with, 57, 58
- History, medical, 100
 form for, 80
 before surgery, 138
- HIV infection, 836–837
 dementia with, 309
- HMG-CoA reductase inhibitors, 559
- HMO (health maintenance organization), 864, 866–867
- Hoarseness, 486
 in lung cancer, 697
- Hobbies, 825
- Holter monitor, 620, 621
 in atrial flutter and fibrillation, 629
 in dizziness evaluation, 237

- Holter monitor (*continued*)
 in fainting evaluation, 242
 in fall evaluation, 251
 in stroke evaluation, 334
 in ventricular tachycardia, 631
- Home (*see also* Home health care)
 assistive devices for, 154, 155, 180–181
 blood pressure monitoring at, 546
 hazards in, 247–248, 252–253
 hospice care at, 195
 rehabilitation at, 145–146
 safety of, 31
 in dementia, 314–315
 in Parkinson's disease, 363
 in stroke, 338
 temperature of, 225, 227, 229
- Home health aide, 91, 93
- Home health care, 93
 in dementia, 315
 duration of, 93
 by family, 175–183 (*see also* Caregiver; Caregiving)
 finances for, 178, 181
 hospice, 195
 after hospitalization, 822–823
 information resources on, 887
 insurance coverage of, 181, 859
- Homeopathy, 75–76
- Homocysteine, blood level of
 atherosclerosis and, 556, 560
 coronary artery disease and, 585
 high, 659, 662
 stroke and, 328
- Homosexual relationships, 840–841
- Hormone-blocking therapy
 in breast cancer, 688
 in prostate cancer, 711–712
- Hormone replacement therapy (HRT)
 in men, 801
 in osteoporosis, 263–265
 side effects of, 264
 in vaginal bleeding, 785
- Hormones
 aging-related changes in, 17, 211
 receptors for, in breast cancer, 101, 685, 688
- Hormones (*continued*)
 sex (*see* Estrogen; Testosterone)
 supplemental, 2, 60
 thyroid, 406–407 (*see also* Thyroid hormones)
- Horner's syndrome, 697
- Horse chestnut, 68–69
 drug interactions with, 58
- Hospice care, 95, 194–196
 information resources on, 884–885
 insurance coverage of, 195–196, 859, 860
- Hospitalization, 92, 123–135
 for abnormal heart rhythm, 620
 admission for, 125–127
 for confusion, 298–299
 confusion with, 131–132
 decision-making during, 850
 for delirium, 305–306
 delirium prevention during, 304–305
 discharge from, 135
 drug side effects during, 133–134
 dying during, 24–25
 emergency department and, 124–125
 falls during, 133
 home health care after, 822–823
 incontinence during, 129, 132–133
 insurance coverage of, 858
 loss of independence with, 131
 overhydration during, 216
 problems during, 127–134
 prevention of, 134–135
 for stroke, 336
 undernutrition with, 130–131
- Hotlines, 846
- HRT (*see* Hormone replacement therapy)
- Human growth hormone, 17, 69–70, 211
- Human immunodeficiency virus infection (*see* HIV infection)
- Humerus, fracture of, 282
- Humidity, 227–228
- Hyaluronate, 523
- Hydralazine, 614
- Hydrocephalus, normal-pressure, 309
- Hydrochlorothiazide, 217
 in heart failure, 615
 in high blood pressure, 549

- Hydromorphone, 292
- Hydrotherapy, 147, 289
- Hydroxychloroquine, 527
- Hydroxyurea
 in myelofibrosis, 670
 in polycythemia, 668
 in thrombocytopenia, 664–665
- Hydroxyzine, 45
- Hyoscyamine, 45
- Hypercalcemia, 222
 in constipation, 750
 in multiple myeloma, 703, 705–706
- Hyperglycemia
 in diabetes, 416, 827
 dizziness with, 235
- Hyperglycemic (nonketotic) hyperosmolar coma, 416
- Hypericin, 72
- Hyperkalemia, 220–221
- Hypernatremia, 220
- Hyperparathyroidism, osteoporosis in, 259
- Hypertension, 542–551 (*see also* High blood pressure)
- Hyperthermia, 226–230
- Hyperthyroidism, 410–412
 arrhythmias in, 619
 high calcium level in, 222
 information resources on, 886
 osteoporosis in, 259
 undernutrition and, 201
- Hypertrophic cardiomyopathy, dizziness with, 234
- Hyperuricemia, 530–534
- Hyperviscosity syndrome, 704
- Hypnosis, 290
- Hypocalcemia, 221
- Hypoglycemia
 in diabetes, 427–428, 814, 827
 dizziness with, 234, 235
- Hypokalemia, 220
- Hyponatremia, 219–220
- Hypopharynx, 485
- Hypotension (*see* Low blood pressure)
- Hypothalamus, 407
- Hypothermia, 223–226
 with cold therapy, 148
- Hypothyroidism, 406, 407–410, 412
 arrhythmias in, 619
 constipation in, 750
 dizziness in, 233, 235
 information resources on, 886
 low calcium level in, 221
 mental function in, 308
 osteoporosis with, 259
 screening for, 33
 weight gain with, 212
- Hypoxemia, after surgery, 143
- Hysterectomy, urinary incontinence and, 770
- Hysteroscopy, 785
-
- I**
- Ibuprofen
 for pain, 291
 in rheumatoid arthritis, 526
- Ibutilide, 622–623, 630
- ICU (intensive care unit), 126
 delirium and, 132, 301–302
 psychosis in, 132
 after surgery, 141–142
- Idiopathic thrombocytopenic purpura, 656, 657
- Iliac artery, 552
 aneurysm of, 569
- Imaging tests, 99
- Imatinib, 676–677
- Imipramine, 394
- Immobilization (*see* Bed rest)
- Immune system
 aging of, 18
 echinacea effects on, 63
 function of, 718
 in polymyalgia rheumatica, 538
 in shingles, 439
 in temporal arteritis, 538
- Immunization, 31–32
 in COPD, 730
 influenza, 723–724
 pneumococcal, 720
- Immuno-electrophoresis, in multiple myeloma, 704
- Immunosuppressant drugs
 medicinal herb interactions with, 56, 59

- Immunosuppressant drugs (*continued*)
 - in rheumatoid arthritis, 527, 528
- Immunotherapy
 - in allergic rhinitis, 487–488
 - in cancer, 677
- Impaction, stool, 751, 752, 760
 - urinary incontinence and, 772
- Implant
 - cochlear, 479
 - dental, 505
 - lens, 454
- Implanted cardioverter-defibrillator, 624
 - in heart failure, 613
 - in ventricular fibrillation, 633
 - in ventricular tachycardia, 632
- Impotence (*see* Erectile dysfunction)
- Income, of older Americans, 20–21
- Incompetency, 850
- Incontinence
 - fecal, 759–760
 - in colorectal cancer, 692
 - hospitalization and, 129, 132–133
 - pressure sores and, 445
 - urinary, 16, 768–778
 - bed rest and, 129
 - in benign prostatic hyperplasia, 792
 - diuretics and, 218
 - exercises for, 776
 - function and, 6
 - hospitalization and, 129, 132–133
 - infection and, 764
 - information resources on, 887
 - long-term care and, 166
 - pressure sores and, 445
 - after prostate cancer treatment, 711
 - sleep disturbance with, 375
 - treatment of, 774–778
- Indapamide, 217
 - in heart failure, 615
 - in high blood pressure, 549
- Independence
 - loss of, 131
 - preservation of, 22–23
- Indigestion, sensation of
 - in coronary artery disease, 585
 - in heart attack, 587
- Indinavir, St. John's wort interaction
 - with, 59
- Indomethacin, 46
- Infarction
 - brain (*see* Stroke)
 - myocardial (*see* Heart attack)
- Infection
 - atherosclerosis and, 556
 - berberine and, 67–68
 - bladder, 762–766
 - catheter-related, 764
 - in chronic lymphocytic leukemia, 690, 691
 - in COPD, 732
 - dental, 497–498
 - in diabetes, 416, 417, 419
 - dizziness with, 232
 - garlic for, 64
 - gastrointestinal, 756, 757, 758
 - immune response to, 18
 - isolation for, 126
 - kidney, 762, 764, 766
 - melatonin and, 71
 - in multiple myeloma, 703, 705
 - in peripheral arterial disease, 561
 - of pressure sores, 442–443, 445, 448
 - prostate gland, 764, 795–797
 - respiratory, 717–725
 - sexually transmitted, 836–837
 - sinus, 489, 490
 - undernutrition and, 202, 204
 - urinary tract, 762–766
 - vaccines against, 31–32
 - vaginal, 781, 782
 - of venous ulcers, 449
- Infectious (septic) arthritis, 536–537
- Inflammation
 - Achilles tendon, 515
 - anus, 190
 - blood vessel (vasculitis), 525
 - brain (encephalitis), 722, 723
 - bursa (bursitis), 520
 - conjunctiva (conjunctivitis), 438
 - in coronary artery disease, 584–585
 - dental (periodontal disease), 497, 499–501
 - esophagus (esophagitis), 743

- Inflammation (*continued*)
- eyelid (blepharitis), 468
 - gums (gingivitis), 497, 499–501
 - joint (arthritis), 518–539
 - muscle (myositis), 722, 723
 - nose (rhinitis), 486–489
 - pericardial (pericarditis)
 - in influenza, 722, 723
 - in rheumatoid arthritis, 525
 - pleura (pleuritis), 525
 - prostate gland (prostatitis), 795–797
 - sinuses (sinusitis), 489–491
 - skin, 434, 436–437
 - spinal cord (transverse myelitis), 722, 723
 - superficial veins (thrombophlebitis), 575–576
 - tendon (tendinitis), 520
 - treatment of, during rehabilitation, 147–148
 - vaginal (vaginitis), 781–782
 - vocal cord (laryngitis), 493
 - vulvar, 781–782
- Infliximab, 527
- Influenza, 721–725
- in COPD, 730
 - vaccine for, 31, 487, 611, 723–724
- Information
- about drugs, 31, 48–51
 - for doctor visit, 79–80, 82
 - for emergency department visit, 125
 - for hospital admission, 125–126
 - for test preparation, 103
- Informed consent, 848–849
- for surgery, 138
- Informed refusal, 848
- Inguinal hernia, 797–798
- Inhaler, in COPD, 730, 731
- Injury
- bone (*see* Fracture)
 - with falls, 249–250
 - prevention of, 31
 - after stroke, 332
- Insomnia, 371–372, 374–379
- in Alzheimer's disease, 321
- Inspirometer, 720
- Instrumental activities of daily living, 22–23
- Insulin, 415
- aging-related changes in, 17
 - complications from use of, 425
 - deficiency of (*see* Diabetes mellitus)
 - in diabetes, 421, 423–425
 - medicinal herb interactions with, 56, 57
 - resistance to, 415
 - weight gain with, 211
- Insurance plans, 854–867
- home health care coverage of, 181, 859
 - hospice care coverage of, 195–196, 859, 860
 - information resources on, 888
 - long-term care coverage of, 858, 859, 860, 863, 865
- Intensive care unit (ICU), 126
- delirium (psychosis) and, 132, 301–302
 - after surgery, 141–142
- Intention tremor, 358
- Interdisciplinary health care, 88, 95–96
- for hospice care, 195
 - during hospitalization, 134
 - for rehabilitation, 145
- Interferon-alpha
- in multiple myeloma, 705
 - in myelofibrosis, 670
 - in polycythemia, 668
 - in thrombocytopenia, 665
- Interleukin 6, in cancer, 674
- Intermittent bladder catheterization, 777
- Intermittent claudication, 557, 561, 564, 816
- Internist, 86
- Intervertebral disks, degenerative disease of, 233
- Intestine (*see* Large intestine; Small intestine)
- Intimacy, 832–841
- dating and, 834–836
 - dementia and, 837–838
 - family and, 838–840

Intimacy (*continued*)
 homosexual relationships and, 840–841
 long-term relationships and, 832–834
 privacy and, 840
 sexual function and, 836–837
Intracerebral hemorrhage, 326–327, 329, 339
Intraocular pressure, increased (glaucoma), 455–458
Intravenous route
 for fluid therapy, 216
 for nutrient administration, 207
Iodine, radioactive, 412
Ipratropium, 730
Irbesartan
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
Iron
 deficiency of, 650
 anemia with, 650, 654
 supplemental, 46
 in anemia, 654
 constipation with, 750
 esophageal damage with, 738
 medicinal herb interactions with, 56
Irrigation
 of ears, 483
 of nose, 490
 of pressure sores, 447
Ischemia
 bowel, 562, 756
 brain, 325–326, 328–329, 336 (*see also* Stroke)
 myocardial, 582, 585–587 (*see also* Heart attack)
Ischemic optic neuropathy, 464–465
Isolated systolic hypertension, 543
Isolation
 in hospital, 126
 sleep disturbance with, 376
Isometric exercise, 149, 809
 in arthritis, 812
Isosorbide dinitrate
 in coronary artery disease, 594, 596
 in heart failure, 614
Isosorbide mononitrate, 594, 596

Isotonic exercise, 149, 809
Isradipine
 in coronary artery disease, 594
 in high blood pressure, 549
Itching, 432, 433–434
 at end of life, 190
 vulvar, 783
Itraconazole, 518

J

Jet lag, 385
 melatonin for, 71
Joint(s) (*see also* Hip; Knee; Wrist)
 aging of, 12–13
 arthroscopy of, 100
 calcium crystal accumulation in (pseudogout), 534–537
 Charcot's, 348
 corticosteroid injection for, 523
 creaking sound in, 521
 deformities of, 521
 degenerative disease of (*see* Osteoarthritis)
 after fracture treatment, 269
 infection of, 536–537
 inflammation of (*see* Arthritis)
 needle aspiration of
 in gout, 531
 in infectious arthritis, 537
 in pseudogout, 535–536
 pain in (*see* Arthritis)
 stiffness in, 525
 after stroke, 332
 urate crystal accumulation in (gout), 530–534, 535
Jugular veins, 552

K

Kaolin-pectin, 758
Kava, 70
 drug interactions with, 58
Kegel exercises, 776, 809
 in incontinence, 775
Keratosis, seborrheic, 435
Ketones, 426
Kidneys, 768
 aging of, 5, 16

Kidneys (*continued*)
in diabetes, 416, 417, 427
disorders of
 anemia with, 650
 heart failure and, 608
 information resources on, 887
 in multiple myeloma, 704
 nerve problems in, 348
 overhydration in, 216
 polycythemia with, 666
drug elimination by, 44
failure of
 cancer treatment and, 677
 undernutrition and, 201–202
in high blood pressure, 545
infection of, 762, 764, 766
NSAID effects on, 291
stones in, in gout, 530, 531, 532, 534
Kidney scan, 110
Klebsiella infection, 719
Knee
 obesity and, 212
 replacement of, 524
 in osteoarthritis, 523
 rehabilitation after, 159
 in rheumatoid arthritis, 529
Kyphosis, 259, 281

L

Labels
 drug, 50
 food, 41–43
Labia majora, 779
Labia minora, 779
Lactose intolerance, 15–16
 diarrhea and, 757
 undernutrition and, 202
Lactulose, in constipation, 753
Language (*see also* Speech)
 in dementia, 310
 perception of, 10–11
Lansoprazole
 in gastroesophageal reflux, 747
 medicinal herb interactions with, 57,
 58
Large intestine
 biopsy of, 695

Large intestine (*continued*)
 cancer of, 692–696 (*see also* Colorectal cancer)
 screening for, 115–117
 colonoscopy of, 99–100, 101, 115–117,
 694, 696
 herniation of, 797–799
 ischemia of, 756
 perforation of, 117
 polyps of, 692, 694, 695
 slow stool transit in, 750
 surgery on, 694, 695, 760
Laryngitis, 493
Larynx, 485–486
 cancer of, 492
 dryness of, 492
Laser therapy
 in age-related macular degeneration,
 460
 in diabetic retinopathy, 461
 in glaucoma, 457–458
 in rosacea, 437
 in varicose veins, 575
Laxatives, 752, 754
 before colonoscopy, 116, 117
 in constipation, 753
 habitual use of, 755
 undernutrition and, 203
LDL cholesterol (*see* Cholesterol)
Learned helplessness, 147
Leflunomide, 526
Leg
 abnormal movements of, 379–382
 amputation of
 in peripheral arterial disease, 564
 problems after, 161
 rehabilitation after, 159–161
 arterial (vascular) disease of, 554,
 560–566
 artificial, 160–161
 brace for, 150, 158
 claudication in, 416
 in atherosclerosis, 557
 in peripheral arterial disease, 561,
 564, 816
 superficial thrombophlebitis of,
 575–576, 664

- Leg (*continued*)
 - swelling in, 216
 - in deep vein thrombosis, 577–578
 - ulcers of
 - in diabetes, 416, 417
 - venous, 448–450, 575
 - varicose veins of, 448–449, 573–575
- Legal issues, 847–854
- Legionella pneumophila* infection, 719
- Legionnaires' disease, 719
- Leiomyosarcoma, 682
- Lens (*see also* Eye[s])
 - artificial, 454
 - cloudiness of (cataract), 451–455
- Lepirudin, 592, 662
- Leukemia, 682
 - bleeding in, 674
 - chronic lymphocytic (CLL), 689–691
 - information resources on, 883
 - polycythemia vera and, 666
- Leukocyte esterase, 765
- Leukocytes (*see* White blood cells)
- Leukotriene receptor blockers, in allergic rhinitis, 487
- Leuprolide, 711–712
- Levodopa
 - in dystonia, 356
 - in Parkinson's disease, 364, 365–366
- Levorphanol, 292
- Lewy body dementia, 324–325
- Libido (sex drive)
 - female, 788–789
 - male, 17, 791, 801, 804
- License, driving, 830
- Licensed practical nurse, 89
- Lichen planus
 - mouth sores in, 507
 - of vulva, 783
- Lichen sclerosus, 783
- Licorice, 70
 - drug interactions with, 58–59, 70
- Lidocaine
 - in abnormal heart rhythms, 622
 - in postherpetic neuralgia, 294, 345
- Life-care community (continuing care retirement community), 93, 167, 170
- Life expectancy, 3, 18–19, 23–24
- Life-long learning, 825
- Lifestyle
 - changes in, 29
 - healthy, 29–31
 - in heart disorders, 156–157
- Ligaments, aging of, 13
- Light
 - for reading, 7, 9, 454
 - sensitivity to, 9
- Lightheadedness, 230–239
 - in diarrhea, 757
 - on standing, 128, 233, 235
- Lipids (*see* Fat; Lipoproteins)
- Lipoproteins
 - in coronary artery disease, 584
 - desirable level of, 555
 - garlic and, 64
 - screening for, 32
 - stroke and, 329
- Lipoprotein synthesis inhibitor, 559
- Lip reading, 480
- Lips, cold sores on, 506–507
- Lisinopril
 - in coronary artery disease, 592
 - in heart failure, 614
 - in high blood pressure, 548
- Lithium, hypothyroidism with, 408, 409
- Lithotripsy, in gout, 532
- Liver
 - acetaminophen effects on, 291
 - aging of, 5, 16
 - disorders of
 - cancer treatment and, 677
 - in myelofibrosis, 669
 - drug processing by, 44
 - failure of
 - flapping tremor with, 353
 - undernutrition and, 201–202
- Living alone, 822
 - undernutrition and, 201, 203
- Living arrangements
 - changes in, 822–824
 - of older Americans, 21–22, 165–175
 - relocation and, 823–824
- Living longer, strategies for, 2
- Living will, 138, 192–193, 851–852
- Local anesthesia, 140

- Long-term care facility, 93, 165–175 (*see also* Nursing homes)
 for dementia patient, 315–316
 after surgery, 165
- Long-term care insurance, 865
- Long-term relationships, 832–834
- Loperamide, 758
- Lorazepam, 44, 400
 urinary incontinence with, 771
- Losartan
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
- Lotions
 for dry skin, 433
 in seborrheic dermatitis, 438
- Lou Gehrig’s disease (amyotrophic lateral sclerosis), swallowing difficulty in, 737
- Lovastatin, 559
 in coronary artery disease, 590, 594–595
- Low back pain, chiropractic for, 73
- Low blood pressure
 in anemia, 652–653
 in diarrhea, 757
 after eating (postprandial), 233, 235
 fainting with, 240, 244–245
 falls and, 248
 after heart attack, 586
 with hip fracture, 277
 nitrate-related, 596
 on standing (orthostatic), 128, 233, 235
 in dehydration, 215
 falls and, 248
 in Shy-Drager syndrome, 369, 370–371
 testing for, 236
 tilt table for, 151
 treatment of, 244–245
 after surgery, 143
- Low-vision aids, 460
- Loxapine, 404
- Lumbar puncture (*see* Spinal tap)
- Lump
 in breast, 683, 684
 in skin, 713
- Lumpectomy, 686, 687
- Lungs
 abnormal sounds in, 720, 729
 aging of, 15
 atelectasis of, 697
 bed rest effects on, 129, 130
 biopsy of, 698–699
 cancer of, 696–701
 defense mechanisms of, 718
 disorders of
 dizziness with, 234
 exercise in, 815
 heart failure and, 608
 information resources on, 889
 embolism of, 128
 fluid accumulation in, 586, 609, 613
 function testing of, 728–729
 infection of, 717–725
 obstructive disease of, 725–734 (*see also* Chronic obstructive pulmonary disease [COPD])
- Lung scan, 110, 578, 698
- Lupus, mouth sores in, 507
- Lupus anticoagulant, 659
- Lyme disease, dementia with, 309
- Lymph nodes
 in breast cancer, 683, 687, 689
 in cancer, 674
 in chronic lymphocytic leukemia, 690
- Lymphocytic leukemia, chronic (CLL), 689–691
- Lymphoma, 682

M

- Macular degeneration
 age-related, 458–460
 dizziness and, 232
 driving and, 828
- Mad cow disease, dementia in, 309
- Magnesium deficiency, 209
- Magnesium salts, in constipation, 753
- Magnetic resonance angiography
 peripheral artery, 562
 in stroke, 333
- Magnetic resonance imaging, 107–108
 in aortic aneurysm, 571
 in aortic dissection, 568

- Magnetic resonance imaging
(*continued*)
in breast cancer, 684
in clotting disorders, 661
in fracture, 270
in stroke, 333
- Magnet therapy, 75
- Malabsorption disorders, undernutrition and, 202
- Malignant tumor, 671 (*see also* Cancer)
- Malnutrition (*see* Undernutrition)
- Mammography, 110–112, 683–684
- Managed care, 864–867
- Manic depression, 387, 391, 393, 395
information resources on, 885
- Mannitol, diarrhea and, 757
- Manometry
anal, 760
esophageal, 740, 746
- MAOIs (monoamine oxidase inhibitors)
in depression, 393
medicinal herb interactions with, 57, 58
in Parkinson's disease, 364, 366
- Marriage, 832–834
- Massage, 148
in osteoarthritis, 522–523
- Mastectomy, 686–687
- Masturbation, 387
- Medicaid, 863–864
- Medic Alert, 887 (*see also* Personal emergency response system)
- Medical ethicist, 91
- Medical history, 100
form for, 80
before surgery, 138
- Medical record, 97
- Medicare, 854–862
hospice care benefit of, 195
in last year of life, 25
- Medicare + Choice, 861–862
- Medications (*see* Drugs)
- Medigap insurance, 864
- Mediterranean diet, 2
- Megestrol, 679
- Meglitinides, 421, 422
- Melanocytes, 12, 432
- Melanoma, 712–714
- Melatonin, 71
in circadian rhythm disorders, 385
in insomnia, 378–379
- Melena, 757
- Memantine, 316
- Memory
in Alzheimer's disease, 321
in dementia, 310
testing of, 33
- Memory aids, 51
- Meniere's disease, 232, 235
- Menopause, 16–17, 778
bone loss after, 257–258 (*see also* Osteoporosis)
coronary artery disease after, 584
- Mental health disorders, 386–405
anxiety, 396–400
depression, 386–396 (*see also* Depression)
erectile dysfunction in, 799, 800
information resources on, 885, 888
psychosis, 400–405
- Mental status (*see also* Confusion)
capacity and, 849–850
hospitalization and, 131–132
testing of, 298, 312–313
- Meperidine, 46
- Meprobamate, 47
- Mesenteric artery, 552
- Mesoridazine, 404
- Metabolic acidosis, 757
- Metastasis, 671, 672, 682 (*see also* Cancer)
from breast cancer, 685
from colorectal cancer, 695
from lung cancer, 697–698
to lungs, 696
from prostate cancer, 707
treatment of, 677
- Metaxalone, 47
- Metered-dose inhaler, 730, 731
- Metformin, 422
dye interaction with, 106
- Methadone, 292
- Methimazole, 412
- Methocarbamol, 47

- Methotrexate
 - medicinal herb interactions with, 56
 - in rheumatoid arthritis, 526
- Methylcellulose
 - in constipation, 753, 754
 - in diarrhea, 758
- Methylclothiazide, 549
- Methyldopa, 47
- Methylphenidate, 393, 394
- Metoclopramide, 747
- Metolazone, 217
 - in heart failure, 612, 615
 - in high blood pressure, 549
- Metoprolol
 - in abnormal heart rhythms, 622
 - in coronary artery disease, 593–594
 - in heart failure, 614
 - in high blood pressure, 548
- Mexiletine, 622
- Midodrine, 371
- Miglitol, 423
- Migratory phlebitis (thrombophlebitis), 576
- Milk intolerance, 15–16
 - diarrhea and, 757
 - undernutrition and, 202
- Milrinone, 613, 616
- Minerals, 38–39
 - in bone maintenance, 255
 - deficiency of, 200, 207–210
 - in food, 37
 - high doses of, 207
 - supplemental, medicinal herb interactions with, 56
- Ministroke (transient ischemic attack), 328
 - driving and, 828, 830
- Mirtazapine
 - in depression, 394
 - in insomnia, 378
- Mistreatment, 843–847
- Mitral valve, 583, 636
 - regurgitation of, 637, 647–648
 - stenosis of, 637, 646–647
- Moexipril
 - in coronary artery disease, 592
 - in heart failure, 614
- Mohs' surgery, 713–714
- Moisturizers, 433
- Mole, 435, 713
- Molindone, 404
- Monoamine oxidase inhibitors (MAOIs)
 - in depression, 393
 - medicinal herb interactions with, 57, 58
 - in Parkinson's disease, 364, 366
- Monoclonal antibodies, in multiple myeloma, 704
- Montelukast, 487
- Mood stabilizers, 393, 395
- Moricizine, 622
- Morphine, 292
 - in coronary artery disease, 594
 - in heart failure, 613, 616
 - urinary incontinence with, 771
- Mortality, causes of, 23–25
- Motor nerves, 341
- Motor vehicle (*see* Automobiles; Driving)
- Mouth, 495
 - aging-related changes in, 11
 - burning, 506
 - cancer of, 33, 507, 701–703
 - candidiasis of, 507
 - care for, 501
 - dry, 11, 501–504
 - after radiation therapy, 702
 - tooth decay and, 497
 - in gastroesophageal reflux, 745
 - sores in, 506–507, 701
 - at end of life, 189
 - after radiation therapy, 702
- Movement disorders, 351–371
 - in dementia, 312
 - information resources on, 887
 - physical therapy for, 148–153
 - during sleep, 379–382
 - in stroke, 330
 - testing safety and, 103
- MRI (*see* Magnetic resonance imaging)
- Mucus
 - in chronic bronchitis, 726
 - in COPD, 727, 728, 732
 - in influenza, 723
 - in pneumonia, 719, 720

Multi-infarct dementia, 322–324
Multiple myeloma, 703–706
Multiple sleep latency test, 119
Multivitamin, 39, 207
Murmurs
 in aortic sclerosis, 643
 in heart valve disorders, 639
Muscle(s)
 aging of, 13
 anal, 751
 bed rest effects on, 13, 128
 bladder, 16
 cramps in, in atherosclerosis, 557
 electrical stimulation of, 152–153
 electromyography of, 120–121
 inflammation of (myositis), in
 influenza, 722, 723
 loss of, 13, 128
 in movement disorders, 351–371
 in Parkinson's disease, 360–367
 in polymyalgia rheumatica,
 537–542
 prolonged contractions of (dystonia),
 354–356
 repetitive movements of, 356–357
 rigidity of (progressive supranuclear
 palsy), 367–369
 spasms of, 354–356
 in myoclonus, 351–354
 during sleep, 379–382
 after stroke, 332
 treatment of, 148
 statin-related disorder of, 596
 strengthening exercise for, 149,
 809–810
 in arthritis, 812
 after fracture treatment, 274–275
 in Parkinson's disease, 816
 after stroke, 817
 stretching exercise for, 810
 in arthritis, 812
 in Parkinson's disease, 816
 weakness of
 bed rest and, 13, 128
 in cancer, 675
 dizziness and, 233
 in postpolio syndrome, 349

Muscle mass
 estimate of, 41, 204
 loss of, 13, 128
Muscle relaxants, 47
 delirium with, 301
 medicinal herb interactions with, 58
Myasthenia gravis, swallowing difficulty
 in, 737
Mycobacterium tuberculosis infection,
 719
Myelodysplastic syndrome, 650, 651
Myelofibrosis, 651, 666, 668–670
Myeloma, multiple, 703–706
Myeloproliferative disorders, 651
Myocardial infarction (*see* Heart attack)
Myocardial ischemia, 582, 585–587
Myoclonus, 351–354
Myositis, 722, 723
Myotomy, in achalasia, 741
Myxedema coma, 408

N

Nadolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
 in high blood pressure, 548
Napping, 378
Naproxen
 for pain, 291
 in rheumatoid arthritis, 526
Narcolepsy, 385
Nasal spray
 in allergic rhinitis, 487
 in vasomotor rhinitis, 488
 in viral rhinitis, 487
 in viral sinusitis, 490
Nasopharynx, 485
Nateglinide, 422
National Center on Elder Abuse, 847
National organizations, for health infor-
 mation, 881–889
Nausea
 in cancer, 675, 679
 opioids and, 294
 in terminal illness, 188
 undernutrition and, 201

- Nebulizer, 730–731
- Neck
 - cancer of, 701–703
 - pain in, chiropractic for, 73
 - spasms of, 355
- Needle biopsy (*see* Biopsy)
- Nefazodone
 - in depression, 395
 - in insomnia, 378
- Neglect, 844, 845
- Neoplasm, 671 (*see also* Cancer)
- Nephrologist, 86
- Nerve(s)
 - aging of, 14
 - amyloid deposition in, 347
 - disorders of, 341–349 (*see also* Neuropathy)
 - tests of, 120–121
 - in vitamin B₁₂ deficiency, 652
- Nerve block, in trigeminal neuralgia, 342–343
- Nerve cells, in brain, 14
- Nerve conduction velocity, 120–121, 348
- Nervousness (*see* Anxiety)
- Nervous system
 - aging of, 14
 - communication through, 73
- Nesiritide, 613, 616
- Neuralgia, 341
 - postherpetic, 286, 294, 344–345, 438, 441, 442
 - trigeminal, 341–343
- Neurofibrillary tangles, 319
- Neurogenic bladder, 763, 772
- Neurologist, 87
- Neuropathic pain, 286
- Neuropathy, 341, 345–349
 - amyloid, 347
 - in diabetes, 416, 417, 419
 - optic, 464–465
 - in vitamin B₁₂ deficiency, 652
- Neurotransmitters, 14
 - in Alzheimer's disease, 320
 - in delirium, 302
 - in dementia, 307
- Niacin, 559
- Nicardipine
 - in coronary artery disease, 594
 - in high blood pressure, 549
- Nifedipine, 594
- Night driving, 829
- Night terrors, 385
- Nilutamide, 712
- Nisoldipine
 - in coronary artery disease, 594
 - in high blood pressure, 549
- Nitrates
 - in coronary artery disease, 594, 595–596
 - dizziness with, 234
 - after heart attack, 601
 - in heart failure, 613, 614, 616
 - sildenafil interaction with, 803
 - varденаfil interaction with, 803
- Nitroglycerin (*see* Nitrates)
- Nitroprusside, 616
- Nizatidine, 47
 - in gastroesophageal reflux, 747
 - medicinal herb interactions with, 57, 58
- Noceptive pain, 285–286
- Nocturia
 - in benign prostatic hyperplasia, 792
 - diuretics and, 218
 - infection and, 764
 - sleep disturbance with, 374
- Nodules, thyroid, 410, 411, 412–414
- Noise
 - hearing and, 10, 11, 473
 - measurement of, 476
 - protection from, 476
- Nonarticular rheumatism, 520
- Nonketotic (hyperglycemic) hyperosmolar coma, 416
- Nonprescription (over-the-counter) drugs, 51–52
- Nonsteroidal anti-inflammatory drugs (NSAIDs)
 - alcohol interactions with, 388
 - discontinuation of
 - before colonoscopy, 116
 - before electromyography, 120
 - before esophagogastroduodenoscopy, 117–118

- Nonsteroidal anti-inflammatory drugs (NSAIDs), discontinuation of (*continued*)
before prostatic biopsy, 121
before skin biopsy, 122
esophageal damage with, 738
in gout, 532, 533
in heart failure, 611
in osteoarthritis, 523
overhydration with, 216, 218
for pain, 290–291
platelet function and, 656
in pseudogout, 536
in rheumatoid arthritis, 526, 528
side effects of, 52
- Normal-pressure hydrocephalus, 309
- Nortriptyline
in depression, 394
urinary incontinence with, 771
- Nose, 484–485
aging-related changes in, 11
enlargement of (rhinophyma), 436
inflammation of (rhinitis), 486–489
irrigation of, 490
- NREM (nonrapid eye movement) sleep, 372
- NSAIDs (*see* Nonsteroidal anti-inflammatory drugs [NSAIDs])
- Nuclear scan, 109–110, 588
- Nurse, 88–89
for home health care, 93
for senior center, 94
- Nurse practitioner, 89
- Nurses' aide, 89, 91
- Nursing homes, 93, 166, 170–175
for COPD, 734
in dementia, 315–316
demographics of, 21–22
eating in, 172, 200
evaluations of, 174
food selection in, 200
influenza vaccine in, 724
insurance coverage of, 858, 859, 860, 863, 865
intimacy needs and, 840
overnight care in, 183
payment for, 175
- Nursing homes (*continued*)
pneumonia in, 717, 719
regulation of, 174
selection of, 172–173
- Nursing units, 134–135
- Nutraceutical, 55 (*see also* Dietary supplements)
- Nutrition, 35–43 (*see also* Diet; Food)
disorder-related changes in, 39–40
disorders of, 199–213
drug-related changes in, 39
for dying person, 189
food labels for, 41–43
for healthy diet, 29–30, 35–39, 205
during hospitalization, 130–131
information resources on, 888
in pressure sore prevention, 447
screening for, 40–41
supplements for, 206
after surgery, 144
- Nystagmus, 236
-
- O**
- Obesity, 40, 41, 210–213
acid reflux and, 744
atherosclerosis and, 556, 558
blood clots and, 660
diabetes and, 415
osteoarthritis and, 212
urinary incontinence and, 770
- Obsessive-compulsive disorder, 397
- Obstructive sleep apnea, 382–384
- Occipital lobe stroke, 465
- Occult blood, 34
- Occupational therapist, 90
- Occupational therapy, 153–155
in Parkinson's disease, 363
in rheumatoid arthritis, 529
after stroke, 158, 338
- Olanzapine, 404–405
- Old age, 3–4
- Oldest old, 19
- Olive oil, 2
- Olmesartan, 592
- Omega-3 fats, 37–38
- Omeprazole, 747
medicinal herb interactions with, 57, 58

- Oncologist, 87
- On-off phenomenon, 366
- Onychia, 516–517
- Onychogryphosis, 516–517
- Onychomycosis, 517–518
- Operation (*see* Surgery)
- Ophthalmologist, 87
- Opioids, 291–294
 - in cancer, 678–679
 - constipation with, 750
 - in coronary artery disease, 594
 - delirium with, 301
 - in diarrhea, 758
 - end-of-life care and, 186, 187
 - in heart failure, 616
 - in lung cancer, 700
 - in postsurgical pain, 142
 - in shortness of breath, 187
 - side effects of, 293–294
 - urinary incontinence with, 771
 - withdrawal from, 293
- Optician, 89
- Optic nerve
 - in glaucoma, 455–458
 - ischemia of, 464–465
- Optometrist, 89
- Oral antihyperglycemic drugs, 421, 422–423
- Oral cavity (*see* Mouth)
- Oral hygiene, 498–499
- Oral sex, 387
- Organizations, for health information, 881–889
- Orgasm
 - female, 779
 - male, 17, 791
 - retrograde ejaculation and, 805
- Orlistat, 213
- Oropharynx, 485
- Orthopedist, 87
- Orthopnea, in heart failure, 608
- Orthostatic hypotension, 128, 233, 235
 - in dehydration, 215
 - falls and, 248
 - in Shy-Drager syndrome, 369, 370–371
 - testing for, 236
 - treatment of, 244–245
- Orthotics
 - for bunions, 513
 - for hammer toes, 514
 - in heel pain, 516
 - in osteoarthritis, 522
- Orthotist, 89
- Oseltamivir, 724, 725
- Osmotic agents, 753, 754
- Osteoarthritis, 519–524
 - chondroitin in, 61
 - glucosamine in, 67
 - obesity and, 212
 - sleep disorders with, 375
- Osteomalacia, 255
- Osteomyelitis, 445
- Osteopenia, 254
 - bone density scan in, 32–33
- Osteoporosis, 12, 254–266, 280–282
 - information resources on, 888
 - in multiple myeloma, 703, 704, 705
 - prevention of, 255, 262–263
 - screening for, 32–33, 104–106
- Osteosarcoma, 682
- Otolaryngologist, 87
- Otosclerosis, 474
 - dizziness and, 232
- Ovaries, 780
 - aging of, 5, 16–17
 - removal of, osteoporosis and, 258
- Overactive bladder, 769–770, 774–775
 - in benign prostatic hyperplasia, 792
- Overflow incontinence, 772, 776–777
 - in benign prostatic hyperplasia, 792
- Overhydration, 216–218
 - low sodium level and, 219–220
- Over-the-counter (nonprescription) drugs, 51–52
- Overweight (*see* Obesity)
- Oxalates, in vulvar pain prevention, 782
- Oxazepam, 44, 400
- Oximetry, 140
- Oxybutynin, 775
- Oxycodone, 293
- Oxygen, blood
 - in COPD, 726, 729
 - in deep vein thrombosis, 578

Oxygen, blood (*continued*)
deficiency of (ischemia), 582 (*see also*
Ischemia)
surgery and, 140, 143
Oxygen therapy
in COPD, 732–733
during exercise, 815
in heart failure, 613
in lung cancer, 700
in pneumonia, 721
in shortness of breath, 187
Oxymorphone, 293

P

PACE (Program of All-Inclusive Care for
the Elderly), 862
Pacemaker
artificial, 624, 625
in abnormal heart rhythms, 626
in heart block, 635–636
in heart failure, 613
natural, 617
Pads, for incontinence, 777–778
Paget's disease
of breast, 685
hearing loss in, 473, 474
high calcium level in, 222
information resources on, 888
of vulva, 714
Pain, 284–294
abnormal heart rhythms with, 619
in acid reflux, 744
acupuncture for, 74
in aneurysm, 569–571
angina, 557, 582, 585–586, 599–600
in aortic dissection, 567
assessment of, 286–289
in atherosclerosis, 557
in atrial fibrillation, 629
back
chiropractic for, 73
osteoarthritis and, 520
after spinal fracture, 280–281
bursa, 520
in cancer, 674, 675, 678–679
chest (*see* Chest, pain in)
in COPD, 728

Pain (*continued*)
in deep vein thrombosis, 577
in dementia, 318
drugs for, 290–294 (*see also* Anal-
gesics)
at end of life, 185–186
during exercise, 809
face, in trigeminal neuralgia, 341–343
with falls, 249
foot, 514–516
with fracture, 268–269
in gout, 531
in heart attack, 587
with hip fracture, 276–277
in influenza, 722–723
joint, 518–539
near joints, 520
leg
in deep vein thrombosis, 577
in diabetes, 416
in peripheral arterial disease, 561,
564
after leg amputation, 161
in lung cancer, 700
magnet therapy for, 75
in multiple myeloma, 703
neuropathic, 185, 286
nociceptive, 285–286
in peripheral arterial disease, 561,
562, 564
in polymyalgia, 540
postherpetic, 286, 294, 344–345, 438,
441, 442
in prostate cancer, 707
in prostatitis, 796
in pseudogout, 535
psychogenic, 286
receptors for, 285–286
referred, 285, 287
during rehabilitation, 147–148
sensitivity to, 12
after shingles, 286, 294, 344–345, 438,
441, 442
with spinal fracture, 280–281
after surgery, 142
in swallowing difficulty, 739
in temporal arteritis, 539

- Pain (*continued*)
 tendon, 520
 during testing, 103–104
 treatment of, 289–294
 information resources on, 888
 vulvar, 782
- Painkillers (*see* Analgesics)
- Palliative care, 183–197 (*see also* End-of-life-care)
 in cancer, 680, 709–710
 in heart failure, 616–617
 vs. hospice care, 194–196
 pain management in, 185–186
 referral for, 194–195
- Pallidotomy
 in dystonia, 356
 in Parkinson's disease, 366
- Palpitations (*see also* Arrhythmias)
 in abnormal heart rhythms, 617, 619
 in coronary artery disease, 585
 fainting with, 239
 in heart valve disorders, 638
- Pamidronate
 in multiple myeloma, 705
 in osteoporosis, 263
- Pancoast syndrome, 697
- Pancreas, disorders of, undernutrition and, 202
- Pancreatitis, low calcium level in, 221
- Panic disorder, 398
- Pantoprazole, 747
 medicinal herb interactions with, 57, 58
- Pap test, 34
 in vaginal bleeding, 784
- Paraffin bath, 147
- Paralysis
 after stroke, 158
 vocal cord, 492
- Paranasal sinuses, 484–485
 inflammation of (sinusitis), 489–491
- Paranoia, 402
- Paraphrenia, 401
- Parathyroid hormone
 excess of, 222, 259
 low levels of, 221
 synthetic, 265, 266
- Parkinsonism, 361
- Parkinson's disease, 360–367
 constipation in, 750
 dementia in, 309
 exercise in, 816
 information resources on, 888
 orthostatic hypotension in, 233
 swallowing difficulty in, 737
 undernutrition and, 202
- Paroxetine
 in depression, 393, 394
 St. John's wort interaction with, 59
- Pelvic examination
 in urinary incontinence, 773
 in vaginal bleeding, 784
- Pelvic (Kegel) exercises, 776, 809
 in incontinence, 775
- Pelvic support disorders, 785–788
 constipation and, 751
 obesity and, 212
- Penbutolol
 in abnormal heart rhythms, 622
 in coronary artery disease, 593–594
 in heart failure, 614
 in high blood pressure, 548
- Penicillamine, 527
- Penis
 erectile failure of, 799–803, 886
 prosthetic, 803
 scarring in, 800
- Pentazocine, 47
- Pentoxifylline, 564
- Percutaneous transluminal angioplasty, 564
- Percutaneous transluminal coronary angioplasty (PTCA), 596–598, 600
- Performance anxiety, 791
- Performance test, 100
- Pergolide, 364
- Pericardial effusion, 567, 607
 in lung cancer, 698
- Pericarditis
 constrictive, 607
 in influenza, 722, 723
 in rheumatoid arthritis, 525
- Perindopril
 in coronary artery disease, 592

- Perindopril (*continued*)
in heart failure, 614
- Periodic limb movements of sleep,
379–382
- Periodontitis, 497, 499–501
- Peripheral arterial (vascular) disease,
554, 560–566
exercise in, 816–817
- Peristalsis, 736
- Pernicious anemia, 650
- Peroneal vein, 552
- Perphenazine, 404
- Personal emergency response system,
253
for fainting disorder, 245
- Personality changes
in Alzheimer’s disease, 321
in dementia, 310
- Pessary, 788
- PET (*see* Positron emission tomogra-
phy)
- Pets, 841
- Peyronie’s disease, 800
- p53 gene, 685
- pH, esophageal, 746
- Phantom limb sensation, 161
- Pharmacist, 90, 97
partnership with, 50–51
- Pharynx (*see* Throat)
- Phenazopyridine, 766
- Phenelzine, medicinal herb interactions
with, 57
- Phenobarbital, 45
medicinal herb interactions with, 56,
59
vitamin D deficiency and, 221
- Phenothiazines, swallowing difficulty
with, 737
- Phenytoin
in abnormal heart rhythms, 622
gum growth with, 500
medicinal herb interactions with, 57
vitamin D deficiency and, 221
- Phlebotomy, 667
- Phlegm
in chronic bronchitis, 726
in COPD, 727, 728, 732
- Phlegm (*continued*)
in influenza, 723
in pneumonia, 719, 720
- Phobic disorders, 397
- Phosphorus
in bone maintenance, 255
deficiency of, 209
- Phototherapy
in circadian rhythm disorders, 385
in seasonal affective disorder, 396
- Physiatrist, 87
- Physical abuse, 843–844
- Physical activity, 30 (*see also* Exercise)
appetite and, 201
muscle strength and, 13
- Physical examination, 100
- Physical inactivity (*see also* Bed rest)
atherosclerosis and, 556
problems related to, 13, 128–130
- Physical therapist, 90
- Physical therapy, 148–153
in dystonia, 356
after fracture treatment, 274–275
for heart disorders, 156–157
after hip replacement, 158–159
after knee replacement, 159
after leg amputation, 159–161
in osteoarthritis, 522–523
in Parkinson’s disease, 363
in rheumatoid arthritis, 529
after stroke, 157–158, 338
- Physician, 28 (*see also* Primary care
doctor)
communicating with, 78–84
in nursing home, 171
office of, 92
types of, 86–87
- Physician assistant, 90
- Pick’s disease, 309
- Pilocarpine, 504
- Pimozide, 404
- Pindolol, 614
- Pineal gland, 71
- Pinna, 470, 471
- Pioglitazone, 422
- Pituitary gland, 407
- Plantar fasciitis, 515

- Plaque
 amyloid (senile), in Alzheimer's disease, 319
 atherosclerotic, 553, 554
 in coronary artery disease, 582–583
 in stroke, 326, 328–329
 dental, 497, 500
- Plasma, 648
- Plasma cells, 703–706
- Platelet(s), 649
 in blood clotting, 658
 high blood levels of (thrombocytopenia), 663–665
 low levels of (thrombocytopenia), 655–657, 659
 transfusion of, 657
- Plateletpheresis, 666
- Pleural space
 air in, 728
 fluid in, 697
- Pleuritis, in rheumatoid arthritis, 525
- Pneumatic stockings
 in deep vein thrombosis, 580
 after stroke, 337
- Pneumatia, 764
- Pneumococcal pneumonia, 719
 vaccine for, 31–32, 720
- Pneumonia, 717–721
 aspiration, 206, 720
 after stroke, 332
 with swallowing disorders, 739
 in COPD, 730
 pneumococcal, 719
 vaccine for, 31–32, 720
 risk factors for, 718–719
- Pneumothorax, 728
- Podiatrist, 89
- Poisoning, food, 756
- Polio, muscle weakness after (postpolio syndrome), 349
- Polyarteritis nodosa, blood clots with, 659
- Polycythemia, 665–668
 in COPD, 729
 secondary, 666
- Polycythemia vera (*see* Polycythemia)
- Polydipsia, 416
- Polyethylene glycol, 753
- Polymyalgia rheumatica, 537–542
- Polyphagia, 416
- Polyps
 large intestine, 692, 694, 695
 nasal, 486, 489
- Polysomnography, 119–120, 376
- Polyuria, 416
- Pool, exercise in, 810, 812, 817
- Popliteal artery, 552
 aneurysm of, 569
- Population, aging, 18–20
- Portal hypertension, in myelofibrosis, 669
- Positron emission tomography, 108–109
 in lung cancer, 698
 in Parkinson's disease, 363
- Postherpetic neuralgia, 286, 294, 344–345, 438, 441, 442
- Postpolio syndrome, 349
- Postprandial hypotension, 233, 235
- Posttraumatic stress disorder, 398
 sleep disturbance with, 375
- Postural tremor, 358
- Potassium
 deficiency of, 209
 in heart failure, 612
 high levels of (hyperkalemia), 220–221
 low levels of (hypokalemia), 220
 supplemental, 218
 esophageal damage with, 738
- Potassium channel blockers, 622–623
- Poverty, 20
- Power of attorney for health care, 25, 138, 192–193, 851, 852–853
- PPO (*see* Preferred provider organization)
- Pramipexole, 364, 366
- Pravastatin, 559
 in coronary artery disease, 590, 594–595
- Prazosin
 in high blood pressure, 548
 urinary incontinence with, 771
- Prednisolone, 533

- Prednisone
 - in gout, 532, 533
 - in idiopathic thrombocytopenic purpura, 657
 - in multiple myeloma, 704
 - in myelofibrosis, 669–670
 - osteoporosis with, 259
 - in polymyalgia rheumatic, 541–542
 - in rheumatoid arthritis, 526
 - in temporal arteritis, 541–542
- Preferred provider organization, 861–862, 864
- Premature atrial beats, 618, 627
- Premature ventricular beats, 618, 627
- Presbycusis, 472–473
 - dizziness and, 232
- Presbylarynx, 486, 491
- Presbyopia, 7
- Pressure
 - blood (*see* Blood pressure; High blood pressure; Low blood pressure)
 - eye (intraocular), 232, 455–458, 828
- Pressure sores, 442–448
 - with assistive devices, 153
 - during bed rest, 128–129, 130
 - in dying person, 190
 - prevention of, 446–447
 - after stroke, 332, 337
- Prevalence, 102
- Prevention, 27–34
 - of atherosclerosis, 557–560
 - of cataracts, 453–454
 - of colorectal cancer, 692
 - of constipation, 755
 - of corns and calluses, 511
 - of coronary artery disease, 589–591
 - of deep vein thrombosis, 578–580
 - of delirium, 304–305
 - of dental disease, 498–499
 - of diabetes, 419
 - of fainting, 243–244
 - of falls, 251–253, 270
 - of fractures, 251–252, 270, 277
 - goals of, 28–29
 - of gout, 532
 - healthy lifestyle for, 29–31
 - Prevention (*continued*)
 - of hearing loss, 476
 - of heart failure, 610–613
 - of hyperthermia, 229
 - of hypothermia, 225
 - of influenza, 723–724
 - of injuries, 31
 - of lung cancer, 699
 - managed care for, 866
 - of mistreatment, 845
 - of osteoarthritis, 521
 - of osteoporosis, 255, 262–263
 - of periodontal disease, 501
 - of pneumonia, 720–721
 - of pressure sores, 446–447
 - of problems in hospital, 134–135
 - of pulmonary embolism, 579
 - screening for, 32–34
 - of skin cancer, 713
 - of stroke, 334–335
 - of tooth decay, 498–499
 - of undernutrition, 205–207
 - of urinary tract infection, 765
 - vaccines for, 31–32
 - of venous ulcers, 449
 - of vulvar skin disorders, 783–784
- Primary care doctor, 28
 - communicating with, 79–84
 - emergency department care and, 124–125
 - patient information for, 79–80, 82
 - selection of, 78–79, 80
 - visit to, 80–81, 82–84
- Primidone, 359
- Privacy, 840
- Private health care insurance, 863–864
- Probenecid, 533, 534
- Procainamide, 622, 630
- Procedures (*see* Test[s])
- Procidencia, 786, 787
- Progesterone
 - postmenopausal levels of, 780
 - receptors for, in breast cancer, 685, 688
- Progestin, 265
- Program of All-Inclusive Care for the Elderly, (PACE), 862

- Progressive supranuclear palsy,
367–369
dementia in, 309
- Prolapse (*see* Pelvic support disorders)
- Promethazine, 45
- Propafenone, 622, 630
- Propantheline, 45
- Propoxyphene, 47
- Propranolol
in abnormal heart rhythms, 622,
629–630
in coronary artery disease, 593–594
in heart failure, 614
in high blood pressure, 548
in Shy-Drager syndrome, 371
in tremor, 359
- Propylthiouracil, 412
- Prostatectomy, 710
erectile dysfunction and, 800
in overflow incontinence, 777
- Prostate gland
benign hyperplasia of, 16, 792–795
saw palmetto effects on, 71
sleep disturbance with, 375
urinary incontinence and, 772
urinary tract infection with, 763
biopsy of, 121–122, 708
cancer of, 706–712
information resources on, 884
screening for, 28, 33, 673, 707–708
watchful waiting in, 709
enlargement of (*see* Prostate gland,
benign hyperplasia of)
examination of, 793
infection of, 764, 795–797
information resources on, 888
inflammation of, 795–797
information resources on, 888
removal of (*see* Prostatectomy)
saw palmetto effects on, 71–72
transurethral resection of (TURP),
795
erectile dysfunction and, 800
- Prostate-specific antigen (PSA), 33, 673,
707, 793–794
- Prostatitis, 764, 795–797
information resources on, 888
- Prosthesis
leg, 160–161
penile, 803
- Prosthetist, 89
- Protease inhibitors, St. John's wort in-
teraction with, 59
- Protein(s)
Bence Jones, 704
dietary, 38
- Protein C deficiency, 659
- Protein S deficiency, 659
- Proteus* infection, 719
- Prothrombin G20210A polymorphism,
659
- Proton pump inhibitors, 747
medicinal herb interactions with, 57,
58
- Proxy (*see* Durable power of attorney
for health care)
- Pruritus (*see* Itching)
- PSA (prostate-specific antigen), 33, 673,
707, 793–794
- Pseudobulbar palsy, swallowing diffi-
culty in, 737
- Pseudodementia, 389
- Pseudoephedrine
in stress incontinence, 775
urinary incontinence with, 771
- Pseudogout, 534–537
- Pseudohypertension, 546–547
- Pseudomonas aeruginosa* infection,
719
- Psoriasis, of vulva, 783
- Psychiatrist, 87
- Psychogenic incontinence, 772
- Psychogenic pain, 286
- Psychologic abuse, 844
- Psychologic age, 3–4
- Psychologic factors
function and, 6
undernutrition and, 203
- Psychologist, 89
- Psychosis, 400–405
delirium and, 302
depression with, 391, 393
in intensive care unit, 132
in Lewy body dementia, 324

Psychostimulants
 in depression, 393, 394
 in terminal illness, 191
Psychotherapy
 in anxiety, 400
 in depression, 395
Psyllium
 in constipation, 753, 754
 in diarrhea, 758
Ptosis (eyelid droop), 467–468
Pulmonary artery, 551, 552
 angiography of, 578
Pulmonary edema, in heart failure, 586,
 609, 613
Pulmonary embolism
 bed rest and, 128, 269
 in deep vein thrombosis, 577, 578
 prevention of, 579, 580
 after stroke, 332
Pulmonary fibrosis, 608
Pulmonary function testing, 728–729
Pulmonary (pulmonic) valve, 583, 636
Pulmonary vein, 552
Pulmonologist, 87
Pulse
 in atrial fibrillation, 629
 in atrial flutter, 629
 in peripheral arterial disease, 562
Pulse oximetry
 in COPD, 729
 in deep vein thrombosis, 578
Punch biopsy, 122
Pupil (*see also* Eye[s])
 aging of, 9
Purple coneflower, 63
 drug interactions with, 56
Pyelonephritis, 762, 764, 766

Q

Qigong, 2
Quadrantectomy, 686, 687
Question(s)
 about cancer, 676
 about urinary incontinence, 773
 from doctor, 81, 100
 to doctor, 83–84, 104
 for nursing home selection, 172–173

Quetiapine, 404–405
Quinapril
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
Quinidine, 622, 630

R

Rabeprazole, 747
Radiation therapy, 676
 brain damage by, 308
 in breast cancer, 687, 688
 in chronic lymphocytic leukemia, 691
 in colorectal cancer, 695
 in head cancer, 702
 in lung cancer, 700
 in mouth cancer, 702
 in multiple myeloma, 705
 in neck cancer, 702
 in prostate cancer, 709, 710–711
 in vulvar cancer, 715
Radioactive iodine, 412
Radiologist, 87
Radionuclide scan, 109–110
 in coronary artery disease, 588
 for fracture, 270
 in prostate cancer, 708
Raloxifene, 264, 265
Ramipril
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
Range-of-motion exercise, 149
 after fracture treatment, 274–275
 after stroke, 157
Ranitidine, 47, 747
 medicinal herb interactions with, 57, 58
Rash
 in rosacea, 436
 in shingles, 439–440
RDA (recommended dietary allowance),
 35
Reading
 glasses for, 7
 light for, 7, 9, 454
Receptors
 in breast cancer, 101, 685, 688

- Receptors (*continued*)
of nervous system, 14
pain, 285–286
- Recommended dietary allowance
(RDA), 35
- Recovery unit, 141
- Rectal examination (*see* Rectum, digital
examination of)
- Rectocele, 786, 787
- Rectum
cancer of, 692–696 (*see also* Colorectal
cancer)
digital examination of
in benign prostatic hyperplasia, 793
in colorectal cancer, 692, 694
in prostate cancer, 707
in prostatitis, 796
in urinary incontinence, 773
enlargement of, 750–751
prolapse of (rectocele), 786, 787
- Red, perception of, 9
- Red blood cells, 648
deficiency of (*see* Anemia)
excess production of, 665–668
in COPD, 729
hemoglobin of, 649
production of, 650
- Redundancy, in brain, 14
- Reflux
acid, 736, 738, 743–747
with tube feeding, 206
- Refusal, informed, 848
- Regional anesthesia, 140–141
- Registered nurse, 89
- Regurgitation
aortic valve, 644–645
of food, 739
mitral valve, 637, 647–648
of stomach acid, 736, 738, 743–747
- Rehabilitation, 144–163
for blindness, 163
duration of, 92
after fracture treatment, 274–275
goals of, 146
for hearing loss, 163
after heart attack, 601, 813
for heart disorders, 156–157
- Rehabilitation (*continued*)
after heart surgery, 601
after hip replacement, 158–159
at home, 145–146
inflammation treatment during,
147–148
information resources on, 885–886
after knee replacement, 159
after leg amputation, 159–161
at nursing home, 171
occupational, 153–155
outcome of, 146–147
pain treatment during, 147–148
physical, 148–153
pulmonary, 733
settings for, 92, 145–146
speech, 155, 161–163
after stroke, 157–158, 337, 338
team for, 145
- Relaxation training, 290
- Reliability, of test, 102–103
- Religion, 825–826
- Relocation, 823–824
- REM (rapid eye movement) sleep, 372
thrashing during, 384
- Renal scan, 110
- Repaglinide, 422
- Reproductive system
female, 778–781
male, 791
- Reserpine, 47
- Resiliency, 820
- Resources, for health information,
881–889
- Respiration, bed rest effects on, 129,
130
- Respiratory infections, 717–725
- Respiratory syncytial virus infection,
719
- Rest home (board-and-care facility),
167, 169–170
- Resting tremor, 358
- Restless legs syndrome, 379–382
- Restlessness, 356–357
- Restraints
in delirium, 305
use of, 135

Retepase, 595
Retina
 age-related degeneration of, 458–460
 detachment of, 465–467
 in diabetes, 460–462
 emboli of, 464
 light sensitivity of, 7, 9
 macular degeneration of, 458–460
 dizziness and, 232
 driving and, 828
 tears of, 465–467
Retinal artery, blockage of, 463
Retinal vein, blockage of, 462–463
Retinol (*see* Vitamin A [retinol])
Retinopathy, diabetic, 460–462
Retired and Senior Volunteer Program,
 824–825
Retirement, 820–821
Retirement community, 21, 166, 168
Retrograde ejaculation, 804–805
Reverse isolation, 126
Reverse mortgage, 181
Rheumatic fever, 638, 646
Rheumatism (*see also* Arthritis)
 nonarticular, 520
Rheumatoid arthritis, 524–529
 exercise in, 811–813
 undernutrition and, 202
Rheumatologist, 87
Rhinitis, 486–489
Rhinophyma, 436
Rimantadine, 724
 in influenza, 725
Ringing, in ears (tinnitus), 480–482
Rings, esophageal, 738
Risedronate, 263
Risk profile, 28
Risperidone, 404–405
 medicinal herb interactions with,
 57
 urinary incontinence with, 771
Ritonavir, St. John's wort interaction
 with, 59
Rivastigmine, 316
Romance, 834–836
Ropinirole, 364, 366
Rosacea, 434, 436–437

Rosiglitazone, 422
Rosuvastatin, 559, 595

S

Sadness, 822
Safe sex practices, 30
Safety
 of alternative therapies, 54–55
 car, 31
 drug, 31
 for fall prevention, 133
 home, 31 (*see also* Home, safety of)
Saliva, 501–502
 production of, 11
 aging-related changes in, 736
 drug-assisted, 504
Salivary glands, blockage of, 502,
 503–504
Salmeterol, 730, 732
Salt (sodium chloride)
 in fainting prevention, 244
 in heart failure, 608, 610–611
 in hyperthermia prevention, 229
Sarcoma, 682
Sarcopenia, 13, 128
Saw palmetto, 71–72
 in benign prostatic hyperplasia, 794
 drug interactions with, 59
 in overflow incontinence, 776
Scalp, seborrheic dermatitis of, 437–438
Schatzki's ring, 738
Sclera, color of, 9–10
Sclerosis, aortic, 643
Sclerotherapy, 575
Scooter, 151, 153
Screening tests, 32–34, 101
 blood pressure, 32
 bone density, 32–33, 104–105, 261
 cancer, 34, 672–673
 breast, 110–112, 673, 683–684
 cervix, 34
 colorectal, 34, 115–117, 673, 692,
 694–695
 mouth, 33
 prostate, 28, 33, 673, 707–708
 skin, 33, 673, 713
 cholesterol, 32

- Screening tests (*continued*)
 - delirium, 33
 - dementia, 33
 - depression, 34
 - diabetes, 33, 418
 - hearing loss, 34
 - hypothyroidism, 33, 409
 - nutrition, 40–41
 - questionnaire for, 100
 - recommendation for, 102
 - vision loss, 34
- Seasonal affective disorder, 387, 396
- Seat belt, 31
- Seborrheic blepharitis, 438
- Seborrheic dermatitis, 437–438
 - of vulva, 783
- Seborrheic wart, 435
- Secobarbital, 45
- Sedatives (*see also* Benzodiazepines)
 - constipation with, 750
 - in delirium, 306
 - delirium with, 301
 - in dementia, 318
 - medicinal herb interactions with, 56, 58, 59
 - urinary incontinence with, 771
- Seizures
 - driving and, 828, 830
 - drugs for (*see* Anticonvulsants)
 - fainting with, 239
- Selective estrogen receptor modifiers (SERMs), 264, 265
- Selective serotonin reuptake inhibitors (SSRIs)
 - in anxiety, 399–400
 - in depression, 393, 394
 - St. John's wort interaction with, 59
 - undernutrition and, 202
- Selegiline, 364, 366
- Self-care activities, 22
- Self-determination, 848
- Self-image, 835
- Self-neglect, 845
- Semen, retrograde ejaculation of, 804–805
- Senescence, 1
- Senile plaques, 319
- Senior center, 94
- Senna, 753, 754–755
- Sensation
 - dizzy (*see* Dizziness; Fainting)
 - loss of, in neuropathy, 347–348
 - pain, 12 (*see also* Pain)
 - whirling (*see* Vertigo)
- Sensitivity, of test, 102
- Sensory nerves, 341
- Sepsis, with pressure sores, 445
- Septic arthritis, 536–537
 - with pressure sores, 445
- SERMs (selective estrogen receptor modifiers), 264, 265
- Serotonin antagonists, constipation with, 750
- Sertraline
 - in depression, 394
 - St. John's wort interaction with, 59
 - undernutrition and, 202
- Sex (*see also* Sexual function)
 - oral, 387
 - safe, 30
- Sex drive
 - in men, 17, 791, 801, 804
 - in women, 788–789
- Sex hormones (*see* Estrogen; Testosterone)
- Sexual abuse, 844
- Sexual function
 - female, 788–789
 - intimacy and, 836–837
 - male, 791, 799–805
- Sexually transmitted infection, 836–837
- Shampoos, antidandruff, 438
- Shingles (herpes zoster), 438–442
 - pain after, 286, 294, 344–345
- Shock
 - in aortic dissection, 567
 - cardiogenic, 586
 - in heart failure, 609
 - with hip fracture, 277
- Shock (electrical)
 - in cardioversion, 626, 630, 631
 - in ventricular fibrillation, 626, 633
- Shock (electroconvulsive) therapy, 395–396

- Shock wave therapy, in heel pain, 516
- Shoes
 in arthritis, 812
 ill-fitting, 509, 512
 proper fit of, 511, 513, 514
- Shortness of breath (*see* Breath, shortness of)
- Shoulder fracture, 282
- Shy-Drager syndrome, 369–371
- Sick sinus syndrome, 618, 633–634
- Sigmoidoscopy, 34, 694
 in constipation, 751
 in fecal incontinence, 759–760
- Sildenafil
 in erectile dysfunction, 802
 nitroglycerin interaction with, 803
- Silent ischemia, 586
- Simvastatin, 559
 in coronary artery disease, 590, 594–595
- Sinus bradycardia, 618, 633–634
- Sinuses, 484–485
- Sinusitis, 489–491
- Sinus (sinoatrial) node, 617
- Sjögren's syndrome, 466
 dry mouth in, 503
 information resources on, 889
 in rheumatoid arthritis, 525
- Skilled nursing facility (*see* Nursing homes)
- Skin
 aging of, 11–12, 430–431
 biopsy of, 122–123, 434, 713
 blue color (cyanosis) of
 in COPD, 728
 in heart failure, 609
 bumps on, 435
 cancer of, 435, 712–714
 information resources on, 884
 screening for, 33, 673, 713
 disorders of, 430–450 (*see also specific disorders*)
 dry, 432–433
 examination of, 713
 growths on, 435
 itching of, 432, 433–434
 lump in, 713
- Skin (*continued*)
 rosacea of, 434, 436–437
 seborrheic dermatitis of, 437–438
 spots on, 435
 tags of, 435
 thickened, on feet, 509–511
 thinning of, 12
 ulcers of, 128–129, 130 (*see also* Pressure sores)
 with assistive devices, 153
 in diabetes, 416, 417, 419
 in dying person, 190
 undernutrition effects on, 204
 vulvar, disorders of, 782–783
- Skin graft
 in pressure sores, 447
 in skin cancer, 714
 in venous ulcers, 450
- Sleep
 aging-related changes in, 372
 in Alzheimer's disease, 321
 apnea and, 382–384
 in dementia, 311, 317–318, 372–373, 375
 disorders of, 371–385
 at end of life, 191
 information resources on, 889
 limb movement disorders of, 379–382
 NREM, 372
 obesity and, 212
 positive strategies for, 373, 376–377
 REM, 372
 thrashing during, 384
- Sleep aids, 377–379
 in dementia, 318
 valerian as, 72
- Sleep apnea, 382–384
- Sleepiness, daytime, 371–372, 379
- Sleep study, 119–120, 378
- Sleepwalking, 385
- Sling, 271
- Small intestine, prolapse of (enterocele), 786, 787
- Smell
 aging-related changes in, 11
 impairment of, 484
 in Parkinson's disease, 361

- Smoke detector, 31
- Smoking
 - acid reflux and, 744
 - arrhythmias with, 619
 - atherosclerosis and, 556
 - COPD and, 726–727
 - coronary artery disease and, 584
 - lung cancer and, 696–697
 - mouth cancer and, 701
 - quitting (cessation of), 30
 - in atherosclerosis, 558
 - in COPD, 729, 733
 - in coronary artery disease, 589
 - in gastroesophageal reflux, 746
 - in heart failure, 610
 - in stroke prevention, 334
 - weight gain with, 212
 - undernutrition and, 203
- Social relationships, 824–826, 832–841
 - restrictions on, 844
- Social worker, 91, 93
 - at nursing home, 171
- Sodium
 - deficiency of, 209–210
 - high levels of (hypernatremia), 220
 - low levels of (hyponatremia), 219–220
- Sodium channel blockers, 622
- Sorbitol
 - in constipation, 753
 - diarrhea and, 757
- Sores
 - mouth, 506–507, 701
 - after radiation therapy, 702
 - pressure (*see* Pressure sores)
- Sotalol
 - in abnormal heart rhythms, 622–623
 - in atrial flutter and fibrillation, 630
 - in ventricular tachycardia, 631–632
- Sounds, perception of, 10–11 (*see also* Hearing)
- Spasmodic dysphonia, 355
- Spasmodic torticollis, 355
- Spasms
 - coronary artery, 585
 - diaphragm (hiccups), 353
 - esophagus, 737, 740, 741
 - leg, 379–382
 - Spasms (*continued*)
 - muscle, 354–356
 - after stroke, 332
 - treatment of, 148
 - neck, 355
 - upper eyelid (blepharospasm), 355, 468
 - vocal cord (dysphonia), 355
- Specificity, of test, 102
- Speech
 - loss of, physician-patient communication and, 80–81
 - perception of, 10–11
 - hearing loss and, 474–475
 - in spasmodic dysphonia, 355
 - in stroke, 330
 - therapy for, 155, 161–163
 - after stroke, 158
 - in vocal cord atrophy, 491–493
- Speech discrimination testing, 475
- Speech reading, 480
- Speech therapist, 90
- Speech threshold audiometry, 475
- Sphincter
 - anal, 760
 - esophageal, 735, 736, 737
 - botulinum toxin injection of, 741
 - cutting of, 741
 - in gastroesophageal reflux, 743, 744, 746
 - urinary, 16, 768
- Spider veins, 574–575
- Spinal cord
 - aging of, 14
 - in compression fracture, 281
 - inflammation of (transverse myelitis), 722, 723
- Spinal nerves, in compression fracture, 281
- Spinal tap, 333–334
- Spine
 - compression fracture of, 259–260, 280–282
 - misalignment of, 73
 - osteoporosis of, 259–260, 280–282
- Spinning (dizziness), 230–239
- Spirituality, 825–826

- Spirolactone, 217
 in heart failure, 612, 615
 high potassium levels with, 221
- Spleen
 in myelofibrosis, 669
 in polycythemia vera, 665–666
 removal of (splenectomy), 657
 in thrombocytopenia, 664
- Splint, 271
 in osteoarthritis, 522
- Spondylosis, cervical, dizziness in, 233
- Spouse, death of, 821–822
- Spur, heel, 515
- Sputum
 in chronic bronchitis, 726
 in COPD, 727, 728, 732
 in influenza, 723
 in pneumonia, 719, 720
- Squamous cell cancer, 712–714
- Squamous hyperplasia, of vulva, 783
- SSRIs (selective serotonin reuptake inhibitors)
 in anxiety, 399–400
 in depression, 393, 394
 St. John's wort interaction with, 59
 undernutrition and, 202
- St. John's wort, 59, 72
- Staging
 breast cancer, 685
 cancer, 675
 chronic lymphocytic leukemia, 691
 colorectal cancer, 693
 prostate cancer, 708
- Stairs, walking on, 150
- Staphylococcus aureus* infection, 719
- Statins, 559
 in coronary artery disease, 590, 594–595, 596
 after heart attack, 601
- Steakhouse syndrome, 738
- Stem cells, 649, 651
 transplantation of
 in chronic lymphocytic leukemia, 691
 in multiple myeloma, 705
 in myelofibrosis, 669
- Stenosis
 aortic valve, 642–644
 mitral valve, 637, 646–647
- Stents
 for coronary artery disease, 596–597
 for heart attack, 600
 for peripheral arterial disease, 564
- Steroids (*see also* Corticosteroids)
 anabolic, medicinal herb interactions with, 56
- Stiffness
 of heart muscle, 607
 in polymyalgia rheumatica, 540
 in rheumatoid arthritis, 525
- Stimulant agents, in constipation, 753, 754–755
- Stockings
 in chronic venous insufficiency, 580
 in deep vein thrombosis, 580
 in edema, 218
 in heart failure, 611
 in low blood pressure, 237
 after stroke, 337
 in varicose veins, 575
- Stomach
 acid in (*see* Acid, stomach)
 hernia of (hiatal hernia), 736, 742, 744
- Stones, kidney, 530, 531, 532, 534
- Stool (feces)
 black, 757
 blood in, 34, 652, 692, 694, 757
 in gastroesophageal reflux, 745
 colostomy for, 694
 in constipation (*see* Constipation)
 in diarrhea (*see* Diarrhea)
 examination of, 758
 impaction of, 751, 752, 760
 urinary incontinence and, 772
 incontinence of, 759–760
 in colorectal cancer, 692
 during hospitalization, 132–133
 pressure sores and, 445
 passing of (*see* Bowel movements)
 slow transit of, 750
- Stool softeners, 753, 754, 755
 in prostatitis, 796

- Stratum corneum, 432
- Strengthening exercise, 13, 149, 809–810
 - in arthritis, 812
 - after fracture treatment, 274–275
 - in Parkinson’s disease, 816
 - after stroke, 817
- Strep throat, 638, 646
- Streptokinase, 662
 - in coronary artery disease, 595
 - in deep vein thrombosis, 580
 - in peripheral arterial disease, 563
- Stress
 - abnormal heart rhythms with, 619
 - delirium with, 301
- Stress incontinence, 770, 772, 775–776
- Stress testing, 620
 - in coronary artery disease, 588, 813
 - for sexual activity safety, 803
 - in ventricular tachycardia, 632
- Stretching exercise, 810
 - in arthritis, 812
 - in Parkinson’s disease, 816
- Stricture
 - esophageal, 737–738, 743
 - urethral, 772
- Stroke, 325–339, 557
 - in abnormal heart rhythms, 619
 - atherosclerosis and, 554
 - dementia after, 322–324
 - in diabetes, 416, 417, 427
 - dizziness with, 232
 - driving and, 828, 830
 - erectile dysfunction and, 800
 - exercise after, 817
 - hemorrhagic, 326–327, 329, 337, 339
 - in high blood pressure, 545
 - information resources on, 883, 884
 - ischemic, 325–326, 328–329, 336
 - occipital lobe, 465
 - prevention of, 334–335
 - rehabilitation after, 157–158, 338
 - risk factors for, 327–328
 - swallowing difficulty in, 737
 - symptoms of, 330–332
 - undernutrition and, 202
 - urinary incontinence and, 772
- Stye, 469
- Subarachnoid hemorrhage, 326–327, 329, 339
- Subdural bleeding (hematoma, hemorrhage), dementia with, 309
- Sucralfate, medicinal herb interactions with, 57
- Sugar(s)
 - blood
 - high (*see* Diabetes mellitus)
 - levels of, 33
 - low (*see* Hypoglycemia)
 - monitoring of, 425–426
 - screening of, 33, 418
 - urine, 426
- Suicide, 390
 - assisted, 193–194
 - information resources on, 888
- Sulfasalazine, 527
- Sulfinpyrazone, 533, 534
- Sulfonyleureas, 421, 422
 - medicinal herb interactions with, 57
- Sun-downing, 372
- Sunlight exposure, 11–12
- Sunscreen, 713
- Superficial thrombophlebitis, 575
- Superior vena cava syndrome, 698
- Supplemental health care insurance, 863–864
- Supplements
 - dietary, 2, 55–72
 - drug interactions with, 49, 54–55, 56–59
 - for nutritional disorders, 206
 - enzyme, 60
 - hormone, 2, 60, 801, 804
 - medicinal herb interactions with, 56
 - vitamin (*see* Vitamin[s])
- Support stockings
 - in edema, 218
 - in heart failure, 611
 - in low blood pressure, 237
- Supranuclear palsy, progressive, 367–369
- Supraventricular tachycardia, 618
- Surgeon, 87
- Surgery, 137–144
 - in abnormal heart rhythms, 624–625

Surgery (*continued*)
anesthesia for, 140–141
aortic aneurysm, 572–573
aortic dissection, 568
aortic stenosis, 644
benign prostatic hyperplasia, 795
breast cancer, 686–687
cancer, 676
care after, 138–139, 141–144
colorectal cancer, 695
complications of, 142–144
constipation after, 750
coronary artery disease, 598–599, 642
delirium after, 301
eye, 452
 in cataracts, 454–455
 in diabetic retinopathy, 461
 in glaucoma, 457–458
in fainting-related disorder, 245
in fecal incontinence, 760
fracture, 273–274
hammer toe, 514
heart, 642
 in abnormal heart rhythms,
 624–625
 in coronary artery disease, 598–599
 in heart failure, 613
 in heart valve disorders, 640, 641,
 642, 648
 rehabilitation after, 156–157
hip
 for fracture, 277–280
 in osteoarthritis, 523
 rehabilitation after, 158–159
 in rheumatoid arthritis, 529
informed consent for, 848–849
inguinal hernia, 798–799
knee, 524
 in osteoarthritis, 523
 rehabilitation after, 159
 in rheumatoid arthritis, 529
leg amputation, 159–161, 564
long-term care facility after, 165
lung cancer, 699–700
monitoring during, 139–140
in pelvic support disorders, 788
in peripheral arterial disease, 564

Surgery (*continued*)
 positioning for, 139
 preparation for, 138–139
 prostate cancer, 709
 in prostate cancer, 710
 risks of, 137–138
 skin cancer, 713–714
 in stress incontinence, 775–776
 urinary incontinence and, 770
 varicose veins, 575
 in ventricular tachycardia, 632
 vocal cord, 493
 vulvar cancer, 715
Surrogate, 854
Suspiciousness (paranoia), 402
Swallowing, 735
 abnormal heart rhythms with, 619
 acid reflux and, 745
 aging-related changes in, 736
 difficulty in, 736–743
 disorders of, 486, 734, 736–743
 in lung cancer, 698
 in Parkinson's disease, 362
 in progressive supranuclear palsy,
 368–369
 therapy for, 155
Sweat glands, 12
Sweating, 227–228
Swelling (edema), 216–218
 in deep vein thrombosis, 577–578
 with fracture, 269
 in heart failure, 604, 608, 609, 611
 horse chestnut in, 68
 pulmonary (*see* Pulmonary edema)
Swimming, 148–149
 ear blockages with, 473
Swimming pool, exercise in, 810, 812, 817
Syncope (*see* Fainting)
Syphilis, dementia with, 309
Systolic blood pressure, 32
Systolic hypertension, isolated, 543

T

Tachycardia, 618
 bradycardia with, 634
 ventricular, 631–632
Tadalafil, 802

- Tags, skin, 435
- Tai chi, 2, 30, 810
- Talking (*see* Speech)
- Tamoxifen
 - blood clots with, 660
 - in breast cancer, 688
- Tamsulosin
 - in benign prostatic hyperplasia, 794
 - in prostatitis, 796
 - urinary incontinence with, 771
- Tap water enema, 752
- Tardive dyskinesia, 356–357, 403
- Tartar, 497
- Taste, aging-related changes in, 11
- Tea, urinary incontinence with, 771
- Team health care, 88, 95–96
 - for hospice care, 195
 - during hospitalization, 134
 - for rehabilitation, 145
- Tears, 466
 - production of, 9
- Telmisartan
 - in coronary artery disease, 592
 - in heart failure, 614
- Telomeres, 5
- Temazepam, 44, 400
- Temperature
 - body, 222–230
 - high (fever), 226
 - increase in (hyperthermia), 226–230
 - low (hypothermia), 223–226
 - during surgery, 139–140
 - home, 225, 227, 229
 - of hot water heater, 31
- Temporal arteritis, 464, 465, 537–542
 - blood clots with, 659
- Temporal artery, biopsy of, 540, 541
- Temporal vein, 552
- Tendinitis, 520
 - Achilles, 515
- Tenecteplase, 595
- TENS (transcutaneous electrical nerve stimulation), 152–153, 289
- Terazosin
 - in benign prostatic hyperplasia, 794
 - in high blood pressure, 548
- Terazosin (*continued*)
 - in overflow incontinence, 776
 - in prostatitis, 796
 - urinary incontinence with, 771
- Terbinafine, 518
- Teriparatide, 265, 266
- Terminal illness (*see* End-of-life care)
- Test(s), 98–123
 - biopsy, 100
 - blood (*see* Blood, testing of)
 - blood sugar (glucose), 418
 - body fluids, 98
 - body function, 100
 - bone density, 32–33, 104–106, 261–262
 - diagnostic, 101
 - endoscopic, 99–100
 - genetic, 100–101
 - hearing, 475
 - imaging, 99
 - mental status, 298
 - Pap, 34, 784
 - preparation for, 103–104
 - pulmonary function, 728–729
 - recommendation for, 102
 - screening (*see* Screening tests)
 - stress, 588, 620, 632
 - before surgery, 138
 - thyroid function, 409, 411
 - in undernutrition, 204
 - urine, 765
 - urodynamic
 - in incontinence, 774
 - in pelvic support disorders, 788
- Testes, aging of, 5, 17
- Testosterone
 - aging-related changes in, 17, 211
 - bone maintenance and, 257, 258
 - deficiency of, 801, 804
 - erectile dysfunction and, 800
 - in osteoporosis, 264
 - postmenopausal levels of, 780–781
 - in prostate cancer, 711–712
 - supplemental, 801, 804
- Tetanus and diphtheria vaccine, 32
- Thalamic stimulation, 359–360
- Thalamotomy, 359–360
- Thalidomide, 705

- Theophylline
 in COPD, 731–732
 St. John's wort interaction with, 59
 undernutrition and, 202
- Therapist, 90
- Thiazides
 in heart failure, 615
 urinary incontinence with, 771
- Thiazolidinediones, 421, 422
- Thioridazine, 45, 404
 urinary incontinence with, 771
- Thiothixene, 45, 404
 urinary incontinence with, 771
- Thirst
 aging-related effects on, 228
 in diabetes, 416
 in dying person, 189
- Thoracotomy, 699
- Three-dimensional conformal
 radiotherapy, in prostate cancer,
 711
- Throat, 485–486
 in gastroesophageal reflux, 745
 sore, 723
 strep, 638, 646
 tickle in, 492
- Thrombocytes (*see* Platelet[s])
- Thrombocytopenia, 663–665
 primary, 651
- Thrombocytopenia, 655–657, 659
- Thrombocytopenic purpura
 idiopathic, 656, 657
 thrombotic, 656
- Thrombolytic drugs
 in clotting disorders, 662, 663
 in coronary artery disease, 595
 in deep vein thrombosis, 580
 in heart attack, 600
 in peripheral arterial disease, 563
- Thrombophlebitis
 deep vein, 577–580
 migratory, 576
 superficial, 575–576, 664
- Thrombosis (*see also* Blood clots)
 deep vein, 577–580
- Thrombus (*see* Blood clots)
- Thrush, 507
- Thyroid disorders, 405–414
 dizziness in, 233, 235
 high calcium level in, 222
 with high thyroid hormone level (hyperthyroidism), 410–412, 619
 information resources on, 886
 low calcium level in, 221
 with low thyroid hormone level (hypothyroidism), 406, 407–410, 412, 619, 750
 nodules in, 410, 411, 412–414
 osteoporosis in, 259
 screening for, 33
 undernutrition and, 201
 weight gain with, 212
- Thyroid gland, 405–406
 cancer of, 413, 414
 disorders of (*see* Thyroid disorders)
 enlargement of (goiter), 406
 information resources on, 886
 nodules of, 410, 411, 412–414
 overactive (hyperthyroidism),
 410–412, 619
 underactive (hypothyroidism), 406,
 407–410, 412, 619, 750
- Thyroid hormones, 406–407
 drug interactions with, 409–410
 high level of (hyperthyroidism),
 410–412, 619
 information resources on, 886
 low level of (hypothyroidism), 406,
 407–410, 412, 619, 750
 replacement of, 409–410
- Thyroiditis, Hashimoto's, 408
- Thyroid scan, 109
 in hyperthyroidism, 411–412
 in nodule evaluation, 413
- Thyroid-stimulating hormone, 407
 in hyperthyroidism, 411
 in hypothyroidism, 409
- Thyroid storm, 411
- Thyroxine, undernutrition and, 202
- TIA (transient ischemic attack), 328
- Tic douloureux, 341–343
- Ticlopidine
 in coronary artery disease, 592–593
 in peripheral arterial disease, 563–564

- Tilt table, 151, 243
- Timolol
 - in abnormal heart rhythms, 622
 - in coronary artery disease, 593–594
 - in heart failure, 614
- Tinnitus, 480–482
- Tinzaparin, 592
- Tirofiban, 662
 - in coronary artery disease, 593
- Tissue plasminogen activator (tPA), 662
 - in coronary artery disease, 595
 - in deep vein thrombosis, 580
 - in peripheral arterial disease, 563
 - in stroke, 336
- Tocainide, 622
- Toe(s)
 - corns of, 509–511
 - hammer, 513–514
- Toenails
 - care of, 510
 - curling of, 517
 - fungal infection of, 517–518
 - thickening of, 516–517
 - trimming of, 517
- Toe raises, 381
- Tolazamide, 422
- Tolbutamide, 422
- Tolcapone, 364, 366
- Tolerance, drug, 293
- Tolterodine, 775
- Tongue, taste buds of, 11
- Tooth (teeth)
 - abscess of, 497–498
 - after cancer treatment, 702–703
 - care for, 495, 498–499, 501
 - cavities in, 495–499
 - inflammation of, 499–501
 - loss of, 504–506
 - replacement of, 505–506
 - undernutrition and, 202
- Tophi, 530, 532
- Torseamide, 612, 615
- Torticollis, spasmodic, 355
- Toxic multinodular goiter, 410, 411, 413
- tPA (*see* Tissue plasminogen activator)
- Trachea, 485
- Tracheitis, 722
- Traction
 - for fracture, 273
 - during rehabilitation, 148
- Trade names, for drugs, 869–880
- Traffic violations, 826–827
- Trandolapril
 - in coronary artery disease, 592
 - in heart failure, 614
 - in high blood pressure, 548
- Transcutaneous electrical nerve stimulation (TENS), 152–153, 289
- Transducer, for ultrasound scan, 112–113
- Transesophageal echocardiography
 - in aortic aneurysm, 571
 - in aortic dissection, 568
 - in heart valve disorders, 639
 - in stroke evaluation, 334
- Trans fatty acids, 37, 43
- Transfer board, 150
- Transfer training, 150
- Transient ischemic attack (TIA), 328
 - driving and, 828, 830
- Translator, 135
- Transplantation, stem cell
 - in chronic lymphocytic leukemia, 691
 - in multiple myeloma, 705
 - in myelofibrosis, 669
- Transurethral resection of prostate gland (TURP)
 - in benign prostatic hyperplasia, 795
 - erectile dysfunction and, 800
- Transverse myelitis, 722, 723
- Trastuzumab, 688
- Travel, information resources on, 889
- Trazodone
 - in depression, 395
 - in insomnia, 378
- Tremor
 - essential, 357–360
 - flapping, 353
 - in Parkinson's disease, 360–361
 - of voice, 486
- Triamcinolone, 533
- Triamterene, 217
- Tricuspid valve, 583, 636

Tricyclic antidepressants
delirium with, 301
in depression, 393, 394
movement disorder with, 356–357
in pain management, 294

Trifluoperazine, 404

Trigeminal neuralgia, 341–343

Triglycerides
in coronary artery disease, 584
desirable level of, 555
disease-related abnormalities in, 556
screening for, 32
stroke and, 329

Trihexyphenidyl
in dystonia, 356
in Parkinson's disease, 365, 366

Trimethobenzamide, 47

Tripelennamine, 45

Troponin, 589

T score, 261
on DEXA scan, 262

Tube, feeding, 131
after surgery, 144
in undernutrition, 206–207

Tuberculosis, 18

Tumor(s), 671, 682–715 (*see also* Cancer)
benign, 671
breast, 682–689 (*see also* Breasts, cancer of)
constipation with, 750
head, 701–703
information resources on, 883–884
large intestine, 692–696 (*see also* Large intestine, cancer of)
lung, 696–701
mouth, 701–703
neck, 701–703
prostate, 706–712 (*see also* Prostate gland, cancer of)
screening for (*see* Screening tests, for cancer)
skin, 712–714
vulva, 714–715

Tumor necrosis factor, 674

Tumor necrosis factor inhibitors, 527

Tuning fork test, 475

TURP (transurethral resection of prostate gland)
in benign prostatic hyperplasia, 795
erectile dysfunction and, 800

U

Ubiquinone, 61–62

Ulcers
decubitus (*see* Pressure sores)
in diabetes, 416, 417, 419
esophageal, 743
gastric, chamomile and, 61
mouth, 506–507
in cancer, 701
at end of life, 189
after radiation therapy, 702
pressure (*see* Pressure sores)
skin (*see* Skin, ulcers of)
venous, 448–450, 575

Ultrasound (ultrasonography), 112–113
in aortic aneurysm, 571
for bone density, 261
cardiac (*see* Echocardiography)
in clotting disorders, 661
in deep vein thrombosis, 578
for heat therapy, 147–148
for pain, 289
in peripheral arterial disease, 562
in prostate cancer, 708
in stroke, 333
for thyroid nodule, 413
of uterus, 785

Ultraviolet radiation, 11–12

Umbrella filter, 579, 580

Undergarments, for incontinence, 777–778

Undernutrition, 199–207
causes of, 200–203
during hospitalization, 130–131
after surgery, 144

Underweight, 40, 41

United States
aging population of, 18–20
disability and disease in, 22–23
financial characteristics of, 20–21
living arrangements in, 21–22, 165–175

- United States (*continued*)
 minority population of, 20
 mortality in, 23–25
- Unna boot
 for pressure sores, 447
 for venous ulcers, 450
- Unstable angina, 586, 599–600
- Urate crystals, in gout, 530–534, 535
- Ureter, 768
- Ureteroscopy
 infection with, 764
 in urinary tract infection, 766
- Urethra, 768
 aging of, 16, 769
 atrophy of, 770, 775, 781
 collagen injection of, in stress incontinence, 776
 stricture of
 after prostate cancer treatment, 711
 urinary incontinence and, 772
- Urethritis, atrophic, 775, 781
 urinary incontinence and, 770
- Urge incontinence, 769–770, 774–775
 in benign prostatic hyperplasia, 792
- Uric acid
 in gout, 530–534
 in multiple myeloma, 706
- Urinalysis, 774
- Urinary incontinence (*see* Incontinence, urinary)
- Urinary tract
 aging of, 16
 infection of, 762–766
 stones in, 530, 531, 532, 534
- Urination, 762, 768–769
 abnormal heart rhythms with, 619
 aging-related changes in, 16
 in benign prostatic hyperplasia, 792, 794
 burning sensation with, 764
 catheterization for, 129 (*see also* Catheter[ization])
 in diabetes, 416
 double, 777
 fainting with, 239
 in heart failure, 612
- Urination (*continued*)
 incontinence of (*see* Incontinence, urinary)
 nocturnal (nocturia), 764
 in benign prostatic hyperplasia, 792
 diuretics and, 218
 sleep disturbance with, 374
 opioid effects on, 294
 prompted, 777
 prostate cancer and, 707
 after prostate cancer treatment, 711
 in urge incontinence, 774–775
- Urine (*see also* Urination)
 air in (pneumaturia), 764
 appearance of, 764
 blood in, 652
 culture of, 765
 ketones in, 426
 loss of (*see* Incontinence, urinary)
 residual, 765, 769, 773–774
 retention of, 772, 793
 after surgery, 143
 sugar in, 426
 tests of, 765
- Urodynamic tests
 in incontinence, 774
 in pelvic support disorders, 788
- Urokinase
 in coronary artery disease, 595
 in deep vein thrombosis, 580
- Urolithiasis, 531, 534
- Urologist, 87
- Usual aging, 4
- Uterus, 780
 aging of, 17
 biopsy of, 784–785
 prolapse of, 786, 787
- Uvulopalatopharyngoplasty, 383

V

- Vaccines, 31–32
 in COPD, 730
 effectiveness of, 18
 in heart failure, 611
 influenza, 723–724
 pneumococcal, 720

- Vacuum devices, in erectile dysfunction, 803
- Vagina, 779–780
 atrophy of, 17, 781–782
 estrogen therapy for, 781–782, 789
 bleeding from, 784–785
 discharge from, 781
 infection of, 781, 782
 inflammation of, 781–782
 prolapse of, 786, 787
- Vaginitis, atrophic, 781–782
- Vagus nerve, stimulation of, abnormal heart rhythms with, 619
- Valerian, 59, 72
- Valsartan
 in coronary artery disease, 592
 in heart failure, 614
 in high blood pressure, 548
- Valves
 heart (*see* Heart valves)
 in veins, 553, 573
- Vardenafil
 in erectile dysfunction, 802
 nitroglycerin interaction with, 803
- Varicella-zoster virus infection, 442 (*see also* Shingles [herpes zoster])
- Varices, esophageal, 669
- Varicose veins, 573–575
 esophageal, 669
- Vascular dementia, 322–324
- Vasculitis, 525
- Vasodilators, in heart failure, 616
- Vasomotor rhinitis, 488
- Vasovagal attack (syncope), 240, 243
- Veins, 551–553
 blood clots in, 577–580
 dilation of, 551, 553
 inflammation of, 575–576
 spider, 574–575
 stripping of, 575
 valves of, 553, 573
 varicose, 573–575
 in myelofibrosis, 669
- Vena cava
 inferior, 552
 lung cancer spread to, 698
 superior, 552
- Venlafaxine, 395
- Venography, in clotting disorders, 661
- Venous insufficiency, chronic, 448–449, 577, 580, 660
- Venous ulcers, 448–450, 575
- Ventilation, mechanical
 in COPD, 734
 in heart failure, 613
- Ventricles (heart), 583, 604
- Ventricular fibrillation, 618, 626, 632–633
- Ventricular tachycardia, 618, 631–632
- Verapamil
 in abnormal heart rhythms, 623, 629–630
 in coronary artery disease, 594
 in high blood pressure, 549
 urinary incontinence with, 771
- Verbal apraxia, 162–163
- Vertebrae (*see also* Spine)
 compression fracture of, 259–260, 280–282
 degenerative disease of, 233
 misalignment of, 73
 osteoporosis of, 259–260
- Vertebrobasilar insufficiency, 241
- Vertebroplasty, 281
- Vertigo, 231
 benign positional, 232, 235, 237, 238
 in Meniere's disease, 232, 235
 in stroke, 330
- Vesicoenteric fistula, 762–763, 764
- Vesicovaginal fistula, 763, 764
- Vestibule, vulvar, 779, 782
- Veterans Affairs, 854, 858–859
- Viatical loan or settlement, 181
- Viral infections (*see also specific viral infections*)
 in cardiomyopathy, 606
 cold sores with, 506–507
 in COPD, 732
 heart failure and, 607
 laryngitis with, 493
 lung, 721–725
 rhinitis with, 487
 sinusitis with, 490
 vaccine for, 31

- Vision
- aging-related changes in, 7, 9–10
 - double, 453, 539
 - impairment of, 450–451
 - in age-related macular degeneration, 459
 - aids for, 460
 - cataracts and, 451–455
 - in diabetes, 416, 417, 460–462
 - dizziness and, 232, 236
 - doctor-patient communication and, 80–81
 - driving and, 828
 - in glaucoma, 456
 - information resources on, 882–883
 - in ischemic optic neuropathy, 464–465
 - in occipital lobe stroke, 465
 - ocular blood flow disruption and, 462–465
 - in progressive supranuclear palsy, 368
 - rehabilitation for, 163
 - with retinal emboli, 464
 - screening for, 34
 - sleep disorders with, 373–374, 375
 - in stroke, 158, 330
 - sudden (amaurosis fugax), 462
 - in temporal arteritis, 539, 541
- Vitamin(s), 38–39
- deficiency of, 200, 207–210
 - in food, 37
 - high doses of, 207
 - supplemental, 2
- Vitamin A (retinol), 2
- Vitamin B₆ (pyridoxine)
- in coronary artery disease, 591
 - deficiency of, 659
- Vitamin B₁₂ (cobalamin), 39
- in coronary artery disease, 591
 - deficiency of, 208, 650, 652, 654–655, 659
 - dizziness in, 233, 235
 - mental function in, 308
 - supplemental, 654–655
- Vitamin C (ascorbic acid)
- antioxidant activity of, 2
 - Vitamin C (ascorbic acid) (*continued*)
 - deficiency of, 208
- Vitamin D, 38–39
- in bone maintenance, 255, 256
 - in calcium metabolism, 12
 - deficiency of, 130, 208, 221, 256
 - supplemental, for osteoporosis prevention, 262–263
- Vitamin E
- antioxidant activity of, 2
 - supplemental, in dementia, 317
- Vitrectomy, 461
- Vocal cords, 486
- atrophy of, 491–493
 - inflammation of, 493
 - paralysis of, 492
 - spasms of, 355
- Voice
- age-related changes in, 486
 - disorders of, 491–493
- Voice box (*see* Larynx)
- Voiding (*see* Urination)
- Volunteering, 824–825
- information resources on, 889
- Vomiting
- abnormal heart rhythms with, 619
 - in cancer, 679
 - in terminal illness, 188
 - undernutrition and, 201
- Vulva
- cancer of, 714–715
 - inflammation of, 781–782
 - pain in, 782
 - skin disorders of, 782–783
- Vulvodynia, 782
-
- W**
- Walker, 150, 152
- Walking, 30, 148–149
- on artificial leg, 160–161
 - assistive devices for, 150–151, 152
 - after hip replacement, 159
 - by blind person, 163
 - in diabetes prevention, 418
 - gait training for, 150–151
 - after hip replacement, 159
 - after stroke, 158

- Walking (*continued*)
 after heart attack, 601
 in heart failure, 609
 pain with, 416, 561, 816
 in Parkinson's disease, 361–362
 in peripheral arterial (vascular) disease, 816–817
 in Shy-Drager syndrome, 369
 on stairs, 150
 after surgery, 142
 treadmill, after stroke, 817
- Warfarin, 662
 in atrial flutter and fibrillation, 630
 in clotting factor disorders, 661–662
 in coronary artery disease, 592
 in deep vein thrombosis, 580
 discontinuation of
 before colonoscopy, 116
 before electromyography, 120
 before esophagogastroduodenoscopy, 118
 before prostate biopsy, 121
 before skin biopsy, 122
 after heart attack, 601
 in heart failure, 613, 615
 in heart valve disorders, 640–641
 medicinal herb interactions with, 54–55, 56, 57, 58, 59
 in retinal embolism, 464
 in stroke prevention, 324, 335
- Warming therapy
 in hypothermia, 226
 during surgery, 140
- Warts, seborrheic, 435
- Water (*see also* Fluid[s])
- Water (body)
 aging-related changes in, 214
 balance of, 213–218
 deficiency of (*see* Dehydration)
 excess of, 216–218
 retention of (*see* Swelling [edema])
 sodium level and, 219–220
- Water (dietary) (*see also* Fluid therapy)
 daily requirement for, 39, 205
 in fainting prevention, 244
 during hospitalization, 130
- Water (dietary) (*see also* Fluid therapy) (*continued*)
 in incontinence treatment, 774
- Water enema, 752
- Weakness
 bed rest and, 128
 in cancer, 675
 dizziness and, 233
 in postpolio syndrome, 349
- Webs, esophageal, 738, 741, 743
- Weight
 in coronary artery disease, 591
 gain in, 35 (*see also* Obesity)
 loss of, 188, 204
 in atherosclerosis, 558
 in cancer, 674, 679
 in COPD, 728
 in gout, 532
 in heart failure, 610
 monitoring of, in heart failure, 611
 normal, 40, 41
 undernutrition and, 200
- Weight lifting, 30
- Wet gangrene, 561
- Wheelchair, 151, 153
- Wheezing
 in COPD, 729
 in lung cancer, 697
- Whirling sensation (*see* Vertigo)
- White blood cells, 648–649
 in urinary tract infection, 765
- White-coat hypertension, 546
- White-noise generator, in tinnitus, 481–482
- Wide excision surgery, in breast cancer, 686, 687
- Will, living, 25, 138, 192–193, 851–852
- Withdrawal, from opioids, 293
- Women's health resources, 889
- Work, retirement from, 820–821
- Worry (*see* Anxiety)
- Wrinkling, 11–12
- Wrist
 carpal tunnel syndrome of, 346
 fracture of, 275, 283–284
- Writer's cramp, 355
- Writing, in Parkinson's disease, 362

X

Xanthelasma, 469
Xerosis, 432–433
Xerostomia (*see* Dry mouth)
X-rays
 chest, in heart failure, 609
 in constipation, 751–752
 of fracture, 270
 of joints, 521

Y

Yeast infection, vaginal, 781
Yellow, perception of, 9
Yoga, 2

Z

Zaleplon, 377–378
Zanamivir, 724, 725
Zenker's diverticulum, 738, 739, 742, 743
Zinc deficiency, 210
Zinc lozenges, 487
Ziprasidone, 404–405
Zoledronic acid
 in multiple myeloma, 705
 in prostate cancer, 712
Zolpidem, 377–378
Z score, 261

The Merck Manual of Health & Aging is set in 11 point Cheltenham Book, with heads set in Frutiger Bold. The original draft was produced using Microsoft Word and transmitted to Nesbitt Graphics in Fort Washington, Pennsylvania, where it was electronically assembled as pages using Quark. The original pen and ink illustrations were scanned and digitized at Nesbitt Graphics using Adobe Illustrator. The book was printed by the web offset printing process on 38-pound paper at Quebecor World in Taunton, Massachusetts.